

INTERNATIONAL JOURNAL OF ENERGY ECONOMICS AND POLICY International Journal of Energy Economics and Policy

ISSN: 2146-4553

available at http://www.econjournals.com





An Econometric Analysis of Clean Energy Supply and Industrial Development in Nigeria: Implications for Sustainable Development

Timothy Ayomitunde Aderemi^{1*}, Abidemi Alejo², Olufemi Samuel Omoyele³, Olusegun Peter Olaoye⁴, Wahid Damilola Olanipekun⁵, Dominic Ezinwa Azuh¹

¹Department of Economics, Accounting and Finance, Bells University of Technology, Ota, Nigeria and Centre for Economic Policy and Development Research (CEPDeR), Covenant University, Ota, Nigeria, ²Department of Economics and Development studies, Covenant University, Ota, Nigeria and Centre for Economic Policy and Development Research (CEPDeR), Covenant University, Ota, Nigeria, ³Department of Business Administration and Marketing, Redeemer's University, Ede, Osun State, Nigeria, ⁴Academic Planning Unit and Centre for Economic Policy and Development Research (CEPDeR), Covenant University, Ota, Nigeria, ⁵College of Management and Information Technology, American International University, West Africa, Gambia. *Email: aderemi.timothy@ gmail.com

Received: 14 October 2021

Accepted: 15 April 2022

DOI: https://doi.org/10.32479/ijeep.13109

ABSTRACT

The continuous demand and usage of energy in large quantum for industrial purposes has motivated the global advocacy for energy sustainability (SDG-7). Against this backdrop, this study employed various econometric techniques to study the nexus between clean energy supply in Nigeria and industrial development between 1990 and 2019. This study sets to establish the nature of the relationship in the long run, direction of causality and the stochastic dynamic interaction between clean energy supply and industrial development in Nigeria. Consequently, the following findings emerged from this study; clean energy supply and manufacturing value added had a significant negative relationship. This implies that the contribution of clean energy supply is negatively significant to the manufacturing value added in the Country. Therefore, the supply of electricity production from hydroelectric sources had not led to industrial development in Nigeria. Further evidence indicates that no feedback relationship exists between clean energy supply and industrial development. Also, the stochastic dynamic interaction between clean energy supply and industrial development shows a shock to manufacturing value added determines the behavior of clean energy supply to a larger extent in one hand, whereas, variance decomposition of clean energy supply shows the similar effect on the behavior of industrial development on the other hand. In the light of the findings from this study, the following recommendations are made for the policymakers in Nigeria; in achieving the Sustainable Development Goal (SDG 7), clean energy supply could be explored for future industrial development in Nigeria, thought it currently lacks the capacity to drive the manufacturing sector of the economy. And as such, the Nigerian policymakers and other stakeholders should work hard to achieve sustainable supply of adequate electricity production from hydroelectric sources in the country.

Keywords: Clean Energy Supply, Industrial Development, SDG-7, Econometric Techniques JEL Classifications: Q20, Q28, Q43

1. INTRODUCTION

The importance of industrialization cannot be undermined in nation building because it creates employment opportunities for human and material resources, revenues for the government, expansion of production possibility frontiers, foreign exchange earnings and improvement of general welfare in an economy (Okuneye, 2019; Aliya and Odoh, 2016; Amar, 2014; Ayeyemi, 2013, Anyanwu et al., 2015). The strategic role in which this sector plays in driving the economy has orchestrated the Nigerian

This Journal is licensed under a Creative Commons Attribution 4.0 International License

government to embark on various industrialization strategies with focal point on promotion of exports, import substitution and employment of local resources.

However, one of the commodities that is extremely needed for industrial development in all countries of the world is energy (Nwokoye et al., 2017; Sambo et al., 2012). The continuous demand and usage of energy in large quantum for industrial purposes, which has implications for global warming and climate change has orchestrated the global advocacy for energy sustainability. As such, the Sustainable Development Goal (SDG7) advocates for the usage of energy from cleaner sources for both domestic and industrial purposes to ensure the sustainable use of energy in driving the global economy without negative spillovers on the environment (United Nations, 2015; Simsek and Simsek, 2013; WCED, 1987). In view of the above, the efficient usage of clean energy in driving economic activities across the globe has become a continuous and prominent conversation in the literature across in the recent times. See Silva, Soares and Pinho (2012), Pao et al. (2014), Al-mulali et al. (2014), Chirambo, (2018) and Aderemi et al. (2021). Meanwhile, a cursory look into past empirical studies in Nigeria shows that various past literature focuses on the connection between clean energy consumption and economic growth (Onabote et al., 2021; Akinwale and Ogundari, 2017; Maji, 2015; Oyedepo, 2014 Olugasa et al., 2014). Whereas, the impact of clean energy supplies to manufacturing industries, which constitutes the largest bulk of the country's real sector has not been fully researched in the most recent time. Therefore, this study seeks to fill this knowledge gap in the literature created by lack of empirical evidence in this regard. It is against this backdrop that this study investigated the nexus between clean energy supply and industrial development in Nigeria. This work has been structured as thus; Section 2 presents the review of relevant literature. Similarly, section 3 accounts for data and methodology and section 4 contains discussion of findings and conclusion as well as policy implication of the paper.

2. LITERATURE REVIEW

Evidence is sparse on the relationship between clean energy supply and industrial development, this knowledge gap in the literature regarding clean energy supply and industrial development is the focus of this study, however various scholars have established the link between clean energy consumption and other macroeconomic variables.

Chirambo (2016) argued that inability of countries in Africa to secure adequate investment constituted a major setback for the continent to access clean energy. Onabote et al. (2021) established a long run convergence among various sources of sustainable energy and economic growth in Nigeria. Mitic, Ivanovic and Zdravkovic (2017) utilized Dynamic Ordinary Least Squares (DOLS and Fully Modified OLS (FMOLS) techniques in assessing the linkage between carbon emissions and the growth of 17 emerging economies. Findings from the study shows that there is a long run equilibrium relationship between economic growth and carbon emissions in those economies. In another related study,

Troster et al. (2018) used Granger causality approach and the Vector Error Correction Model (VECM) to examine the direction of causal relationship among consumption of renewable energy, oil prices and economic growth in the United States of America. Findings from the study confirmed bidirectional relationship among the pair of the variables of interest in the study. Also, it was discovered that it was only renewable energy out of the two energy sources that contributed a more significant impact in driving growth of the economy. Silva et al. (2012) utilized a Structural Vector Autoregressive (SVAR) technique in assessing how Carbon dioxide emission, renewable energy sources (RES), and economic growth were integrated in four nations between 1960 and 2004. The researchers asserted that use of renewable energy sources led to a fall in the emissions of CO_2 per capita.

Meanwhile, Chirambo (2018) explored a descriptive method of research to examine how numerous innovations targeting at improving the access of countries in the Sub-Sahara Africa to clean energy in a sustainable manner. The study enunciated the need for institutional regulator at a regional level to monitor how both climate change and clean energy progress respectively in order to take strategic steps towards the achievement of SGD 7. Adebosin et al. (2019) employed Ordinary Least Squares method to analyze the nexus between industrialization and economic growth from 1981 to 2016 in Nigeria. It was discovered from the study that the significant impact on economic growth experienced in the country is caused by industrialization.

However, Onakoya et al. (2013), examined the linkage between the Nigerian economic growth and energy consumption. Cointegration and Ordinary Least Squares techniques were applied to analyse the data from the country between 1975 and 2010. The authors submitted that the various variables of interest were cointegrated, and the impact of petroleum, energy consumption and electricity on economic growth was positive and significant in the country. In a related study, Jebli and Youssef (2014) investigated a feedback effect among these variables; economic growth and Carbon dioxide (CO₂) emission, combustible renewables and waste consumption in five Northern African countries between 1971 and 2008. The study revealed that CO₂ emission was the principal determinant of economic growth in the country. Meanwhile, Pao et al. (2014) explored South Korea, Mexico, Turkey and Indonesia by investigating how consumption of unclean energy, clean energy and economic growth were related in those four countries. The researchers opined that mitigating energy security issues and climate change requires the development of both renewable and nuclear sources of energy.

Consequently, Mario et al. (2016) assessed the patterns of industrialization, economic backwardness and the impact of European integration in catalyzing the development of industrialization. It was reported from the study that there was an evidence in Europe to support the emergence of some income convergence. Furthermore, Aboagye (2016) employed a panel analysis to estimate nexus between urbanization and industrialization in 36 SSA economies between 1980 and 2015. It was argued in the study that in the long run industrialization and urbanization caused an increase in intensity of energy in the selected Sub-Saharan Africa countries. Meanwhile, Anyanwu, Kalu and Alexanda (2015) examined how industrial development contributed to growth of the Nigerian economy from 1973 to 2013. The authors submitted that output from industries did not have a significant impact on the economic growth in the country. Hence, this an evidence that huge gap exists regarding the subject matter of this study.

3. METHODOLOGY AND DATA

The focus of this study is to examine the relationship between clean energy supply and industrial development in Nigeria. To achieve this aim, an ex-post facto research design was considered suitable because the principal objective of this study is to explore the viable link, and as well described how clean energy supply predicts variation in industrial development in Nigeria. Moreover, annual data extracted from the World Development Indicators was utilized for this study. The scope of the work is from 1990 to 2019. However, this scope was exclusively motivated by data availability.

3.1. Model Specification

Building the model for the estimation of the nexu between clean energy supply and industrial development in Nigeria requires some insights to be drawn from the works of Onabote et al. (2021), Osabohien et al. (2021) and Olaoye et al. (2020). Some modification was however done on the adapted model to suit the objective of this study. Therefore, the model is as enunciated;

$$IDV = f(CES)$$
(1)

Introduction of some control variables into equation (1) leads to equation (2)

$$IDV = f(CES, GCEX, FDI, PGR)$$
 (2)

The classic Cobb-Douglas production function version of the equation above could also be stated as

$$IDF = CES^{\theta}GCEX^{\beta_2}FDI^{\Omega_3}PGR^{\Omega_4}$$
(3)

If the natural logarithm is introduced into equation (3), the following model is emerged;

$$IDV_{t} = \alpha + \theta_{1}LogCES_{t} + \beta_{2}LogGCEX_{t} + \Omega_{3}FDI_{t} + \Omega_{4}PGR_{t} + \mu_{t}$$
(4)

Where industrial development is denoted IDV and this is measured by manufacturing value added as percentage of GDP. CES represents clean energy supply which is proxied by supply of electricity production from hydroelectric sources. FDI is proxied by FDI inflows. GCEX denotes government capital expenditures. PGR is used to capture population growth rate and represents the error term. In addition, α , is intercept. θ_1 , β_2 , Ω_3 and Ω_4 represent the parameters. Log represents natural logarithm and t ranges between 1990 and 2019. It is expected that θ_1 , β_2 , Ω_3 and $\Omega_4 > 0$

4. RESULTS AND DISCUSSION

In Table 1, we present the descriptive results of the estimated variables of interest in the model. These variables remain as follows; supply of electricity production from hydroelectric sources, FDI inflows, government capital expenditures and population growth rate. Firstly, supply of electricity production from hydroelectric sources in log form had its maximum value as 4.08 kilo-watt and minimum value of 3.30 kilo-watt respectively. The mean value of the variable is 3.82 kilo-watt which is greater than its standard deviation of 0.18. This implies that the variable is moderately from its mean between 1990 and 2019. Similarly, government capital expenditures in log form has a maximum and minimum values of 2.24 and -0.093 billion naira respectively. Its mean value of 1.16 is greater than its standard deviation of 0.83, which implies that the variable is moderately dispersed from the mean during the scope of the study. Furthermore, manufacturing value added as percentage of GDP has both maximum and minimum values of 20.9% and 6.5% simultaneously. The variable is equally spread moderately from its mean value because it has a mean value greater than the standard deviation.

Also, variables like population growth rate and FDI inflows exhibited similar feature like other variables discussed above.

The estimated results of stationary test of the variables of interest in this study is presented in Table 2. This test becomes important while employing time series data for empirical Table 2 shows the estimated results of stationary test of the relevant variables in this study. This test becomes important while employing time series data for empirical work because these series are usually trended in nature, which could orchestrate spurious results. This might consequently lead to inefficient policy implication of the study. And as such, the above results indicate that the variables in this paper are the mixture of I(0), I(1) and I(2) series. This implies that the order of variables integration is at level, first differencing and second differencing.

Table 3 presents the estimated report of The Johansen and Juselius (1990) cointegration test. This result confirms the presence of at most 4 Cointegration vectors among the relevant variables. The implication of this is that there is a long run equilibrium of clean energy supply and industrial development in Nigeria. Due to the fact that a long run equilibrium connection exists between clean energy supply and industrial development, Canonical Cointegrating Regression (CCR) was further estimated with a view to establishing the long run impact of clean energy supply on industrial development in Nigeria.

The Canonical Cointegrating Regression (CCR) showing the long run relationship between clean energy supply and industrial development in Nigeria is presented in Table 4. As shown in Table 4, clean energy supply, population growth rate and government capital expenditures do not follow the aprori expectation. In the same vein, the R-Squared of the estimated model is 0.88. This implies that PGR, LogCES, FDI and LogGCEX jointly explained about 88% of the systematic differences in industrial development. Therefore, the model employed for the estimation of data in this

Table 1: Annual data series - descriptive statistics	Table	1:	Annual	data	series -	descriptive	statistics
--	-------	----	--------	------	----------	-------------	------------

Table 1. I minual aata series	ueser ipure statistics				
Descriptive Statistics	LogCES	LogGCEX	IDV	PGR	FDI
Mean	3.825398	1.160765	12.67290	2.609000	1.730667
Median	3.860619	1.498157	11.19200	2.605000	1.575000
Maximum	4.082609	2.245803	20.92700	2.720000	5.790000
Minimum	3.306887	-0.093212	6.553000	2.520000	0.500000
Std. Deviation	0.182394	0.832326	4.660987	0.072319	1.177985
Skewness	-0.810687	-0.154664	0.439744	0.152634	1.942353
Kurtosis	3.291858	1.445995	1.640073	1.510609	7.020928
Jargue-Bera	3.392543	3.138270	3.278627	2.889344	39.07350
Probability	0.183366	0.208225	0.194113	0.235823	0.000000
Sum	114.7619	34.82296	380.1870	78.27000	51.92000
Sum. Sq. Deviation	0.964754	20.09024	630.0192	0.151670	40.24179
Observation	30	30	30	30	30
Source: Authors 2021					

Source: Authors 2021

Table 2: Unit root test

Variables	ADF test					Decision	
	Level	Prob.	1 st Dif.	Prob.	2 nd Dif.	Prob.	
FDI	-2.967767	0.0338					I (0)
LogCES	-2.986225	0.0461					I (0)
LogGCEX	-2.967767	0.5598	-2.971853	0.0001			I (1)
IDV	-2.967767	0.7008	-2.976263	0.1785	-2.976263	0.0000	I (2)
PGR	-2.976263	0.0112					I (1)
Variables			PP Te	est			
	Level	Prob.	1 st Dif.	Prob.	2 nd Dif.	Prob.	
FDI	-2.967767	0.0281					I (0)
LogCES	-2.967767	0.0132					I (0)
LogGCEX	-2.967767	0.5598	-2.971853	0.0001			I (1)
IDV	-2.967767	0.6812	-2.971853	0.0009			I (1)
PGR	-2.967767	0.6620	-2.971853	0.4196	-2.976263	0.0002	I (2)

Source: Authors' 2021

Table 3: Johansen co-integration test (trace statistics) and (maximum Eigen value)

Hypothesized	Eigenvalue	Trace	0.05 critical	Prob.**
No. of CEs		statistics	value	
None*	0.736798	80.19761	69.81889	0.0059
At most 1*	0.547994	42.82231	47.85613	0.1369
At most 2*	0.343534	20.58863	29.79707	0.3838
At most 3*	0.209747	8.803861	15.49471	0.3838
At most 4*	0.075980	2.212592	3.841466	0.1369

Source: Authors' 2021

Table 4: Clean energy supply and industrial development in Nigeria

Dependent Variable: IDV						
Method: Canonical Cointegrating Regression (CCR)						
Regressors	Coefficient	T-statistics	Prob. value			
PGR	-23.06082	-1.959804*	0.0617			
LogCES	-11.79215	-4.099906***	0.0004			
FDI	0.199621	0.540244	0.5940			
LogGCEX	-1.250181	-0.933616	0.3598			
R-squared	0.888416					

Source: Authors. ***Significant at1% **Significant at 5% *Significant at 10%

study is relatively good. Consequently, a negative relationship which is significant at 10% level of significance was established between population growth rate and manufacturing value added. A unit variation in population growth rate brings about 23% decrease in manufacturing value added in Nigeria. Similarly, clean energy supply and manufacturing value added had a negative significant relationship in Nigeria. This mean that a unit variation in clean energy supply leads to a fall in manufacturing value added by 0.11% in Nigeria. However, an insignificant relationship was established between FDI inflows and manufacturing value added. Also, there is a negative but insignificant relationship between government capital expenditure and manufacturing value added. By and large, clean energy supply added a significant decrease to manufacturing value added in Nigeria. This implies that supply of electricity production from hydroelectric sources had not led to industrial development in Nigeria in the past three decades. The reason for this result might be attributed to the incessant power outage in the country due to the unsustainability supply of electricity production from hydroelectric sources in the country (Table 5).

Even though a long run equilibrium relationship between clean energy supply and industrial development has been established in Table 3, further efforts were made by the researchers to determine the route of the causal relationship amongst the variables of interest. Estimated outcomes from the Granger causality technique show that there is no feedback relationship between clean energy supply and industrial development in Nigeria, however, a unidirectional causality runs from industrial development to government capital expenditure. Industrial development Granger causes FDI inflows likewise, clean energy supply Granger causes government capital expenditure. In the same vein, population growth rate Granger causes government capital expenditure. And finally, unidirectional causality flows from government capital expenditure to FDI (Figure 1).

The Granger Causality Test can only point out the direction of causality between any two variables within periods of analysis. Nevertheless, providing inferences regarding the variables of interest beyond the periods of analysis requires forecasting, in which Granger causality technique could not address. It is against this backdrop that this study employs the impulse responses over a 10-year period when one standard deviation positive innovation interacts with another variable. The outcomes of the Impulse Response Functions (IRFs) show that industrial development rose for the first three periods following a positive shock to itself. Then, it became stabilize to the end of the fourth period, before it rose again consistently to the end of the ten period. The response of this variable was due to its own shocks. Meanwhile, in response to industrial development shocks, clean energy supply witnessed a slump in the first period and became negative in the end of that period. However, there was rise in clean energy supply towards end of the second period before it fell slowly from the beginning of the third period till the end of the fourth period. Afterwards, it stabilized to the end of the tenth period. Furthermore, while responding to its own shocks, clean energy supply fell sharply in the first period. Meanwhile, it rose slowly in the second period to the fourth period, after which it continued to slump consistently to the end of the tenth period. However, the response of industrial development to clean energy supply shocks fell sharply in the negative direction in the first period. But, in the second period, there was a sharp rise in the variable reaching positive bar before it declined slowly and perpetually from third period to the end of the tenth period.

In summary, we could infer that industrial development has an important impact on the Nigerian economy because a shock to manufacturing value added is a strategic impetus that determines the level of clean energy supply in the country. Hence, industrial development could be considered a good policy towards raising the level of clean energy supply in general.

After generating the IRFs for industrial development, further effort was made to examine its Variance Decomposition (VD). The results from Table 6 indicate that the variation to industrial development is entirely due to its own shock because it exhibits 100% of industrial development fluctuation in the first period. Further observation shows that industrial development has a slight and continuous fall in its fluctuation from 99.9% in the second period to 99.6% in the tenth period. On the other hand, clean energy supply variance rose in the second period from 0.015 percent to 0.403 percent at the end of the tenth period.

From Table 7, the Variance Decomposition results of clean energy supply indicate that its variation was principally motivated by its own shock because it exhibits 92.9 percent of variation in clean energy supply and 7.12% variation in industrial development in the first period. However, the share of the variation caused by clean energy supply variance to clean energy supply started to decline

Table 5: Pairwise granger causality test

Null hypothesisF-statisticProb.DecisionCausalityLogCES does not0.723260.4959AcceptNoneGranger Cause0.1313AcceptNoneIDVDV does not2.220320.1313AcceptLogCES0.827270.4498RejectNoneIDV does not6.730460.0050AcceptUnidirectionalGranger Cause0.827270.4498RejectNoneLogGCEX0.827270.4498RejectIndirectionalGranger Cause0.0050AcceptUnidirectionalLogGCEX2.852470.0782RejectNoneGranger Cause1.252880.3045RejectNoneIDV0.229520.7967RejectIndirectionalGranger Cause0.229520.7967RejectIndirectionalIDV0.0504AcceptUnidirectionalGranger Cause1.087920.3536RejectIndirectionalGranger Cause1.087920.3536RejectIndirectionalGranger Cause1.001550.3828RejectIndirectionalGranger Cause0.263900.7703RejectNoneGranger Cause0.263900.7703RejectIndirectionalGranger Cause0.263900.7703RejectIndirectionalGranger Cause0.263900.7703RejectIndirectionalGranger Cause0.263900.7703RejectIndirectionalGranger	Table 5: Pairwise granger causality test						
Granger Cause IDV2.220320.1313AcceptIDV does not Granger Cause LogCES2.220320.1313AcceptLogGCEX does ont Granger Cause IDV0.827270.4498RejectIDV does not Granger Cause LogGCEX6.730460.0050AcceptUnidirectionalIDV does not Granger Cause IDV2.852470.0782RejectMinimizationIDV does not Granger Cause IDV2.852470.0782RejectNoneIDV does not Granger Cause PGR1.252880.3045RejectNoneFDI does not Granger Cause IDV0.229520.7967RejectInitian initianIDV does not Granger Cause IDV0.229520.7967RejectInitian initianIDV does not Granger Cause IDV0.229520.7967RejectInitian initianIDV does not Granger Cause LogCES0.087920.3536RejectInitian initianIDV does not Granger Cause LogCES1.087920.3536RejectInitian initianLogGCEX Granger Cause LogCES0.0171AcceptUnidirectionalGranger Cause LogCES0.263900.7703RejectNoneGranger Cause LogCES0.263900.7703RejectNoneGranger Cause LogCES0.0263900.7703RejectNoneGranger Cause LogCES0.026300.7703RejectNoneGranger Cause LogCES0.026300.7703RejectNoneGra	Null hypothesis	F-statistic	Prob.	Decision	Causality		
Granger Cause IDV2.220320.1313AcceptIDV does not Granger Cause LogCCES0.827270.4498RejectIogGCEX does not Granger Cause IDV0.0050AcceptUnidirectionalIDV does not Granger Cause LogGCEX0.730460.0050AcceptUnidirectionalIDV does not Granger Cause IDV2.852470.0782RejectNoneIDV does not Granger Cause PGR1.252880.3045RejectNoneIDV does not Granger Cause PGR0.229520.7967RejectIndirectionalIDV does not Granger Cause IDV0.229520.7967RejectIndirectionalIDV does not Granger Cause IDV0.229520.7967RejectIndirectionalIDV does not Granger Cause LogCES0.87920.3536RejectIndirectionalIDV does not Granger Cause LogCES1.087920.3536RejectIndirectionalIDS does not Granger Cause LogCES1.001550.3828RejectIndirectionalGranger Cause LogCES does not Granger Cause LogCES does not Cause0.263900.7703RejectNoneFDI Granger Cause LogCES does not Cause0.263900.7703RejectNoneFDR GR0.263900.7703RejectNoneIndirectionalGranger Cause LogCES does not Cause0.263900.7703RejectNoneFDI Holes not0.438400.6503RejectIndirectional <tr<< td=""><td>• •</td><td></td><td>0.4959</td><td></td><td></td></tr<<>	• •		0.4959				
IDV does not Granger Cause LogGCEX does not Granger Cause IDV2.220320.1313AcceptLogGCEX does not Granger Cause IDV0.827270.4498RejectIDV does not Granger Cause IDV6.730460.0050AcceptUnidirectionalGranger Cause IDV0.0782RejectGranger CauseIDV does not Granger Cause IDV1.252880.3045RejectNoneGranger Cause PGR0.229520.7967RejectIndirectionalGranger Cause IDV0.229520.7967RejectUnidirectionalGranger Cause IDV0.229520.7967RejectIndirectionalGranger Cause IDV0.229520.7967RejectUnidirectionalGranger Cause IDV0.229520.7967RejectIndirectionalGranger Cause IOV0.229520.7967RejectUnidirectionalGranger Cause LogCES1.087920.3536RejectIndirectionalGranger Cause LogCES1.001550.3828RejectIndirectionalGranger Cause LogCES0.263900.7703RejectNoneGranger Cause LogCES0.438400.6503RejectIndirectionalGranger Cause LogCES0.2301190.1227RejectIndirectionalGranger Cause FDI0.2301190.1227RejectIndirectionalGranger Cause LogGCEX0.628600.5423RejectIndirectionalGranger Cause FDI0.62860				•			
Granger Cause LogCES 1.2 LogGCEX does not Granger Cause IDV 0.82727 0.4498 RejectIDV 6.73046 0.0050 AcceptUnidirectional Granger Cause LogGCEXPGR does not Granger Cause IDV 2.85247 0.0782 RejectIDV does not Granger Cause IDV 2.85247 0.0782 RejectIDV 2.85247 0.0782 RejectNoneGranger Cause IDV 1.25288 0.3045 RejectNoneGranger Cause PGR 0.22952 0.7967 RejectNoneTDV does not Granger Cause IDV 0.22952 0.7967 RejectNoneIDV does not Of Granger Cause LogCES 0.0444 AcceptUnidirectionalGranger Cause LogCES 1.08792 0.3536 RejectNoneIDS IDGCES 1.08792 0.3536 RejectUnidirectionalGranger Cause LogCES 1.00155 0.3828 RejectNoneGranger Cause LogCES 1.00155 0.3828 RejectNoneGranger Cause LogCES 0.26390 0.7703 RejectNoneGranger Cause PGR 0.43840 0.6503 RejectNoneGranger Cause FDI 0.230119 0.1227 RejectNoneGranger Cause FDI 0.62860 0.5423 RejectNoneGranger Cause FDI 0.62860 0.5423 RejectNoneGranger Cause FDI 0.62860 0.5423 Reje	IDV						
Log \overline{CES} Log \overline{GCEX} does not Granger Cause IDV0.827270.4498RejectIDV IDV does not6.730460.0050AcceptUnidirectional Granger Cause IDVGGCEX Granger Cause IDV2.852470.0782RejectGranger Cause IDV1.252880.3045RejectMore Granger Cause PGR1.252880.3045RejectMore Granger Cause IDV0.229520.7967RejectGranger Cause IDV IDV does not0.229520.7967RejectIDV does not Granger Cause IDV0.0444AcceptUnidirectional directional Granger CauseIDV does not Granger Cause LogGCEX1.087920.3536RejectIDG does not Granger Cause LogGCES1.087920.3536RejectLogGCEX Granger Cause LogGCEX1.001550.3828RejectNone Granger Cause LogCES0.263900.7703RejectNone Granger Cause LogCES0.438400.6503RejectLogCES Granger Cause LogCES0.0111AcceptUnidirectional directional Granger Cause LogCESLogGCEX Granger Cause LogCES0.31190.1227RejectPGR Granger Cause LogGCEX1.196430.3204RejectLogGCEX Granger Cause LogGCEX0.628600.5423RejectLogGCEX Granger Cause LogGCEX0.628600.544AcceptUnidirectional directionalGranger Cause FDI Granger Cause LogGCEX0.	IDV does not	2.22032	0.1313	Accept			
LogGCEX does not Granger Cause IDV0.827270.4498RejectIDV IDV6.730460.0050AcceptUnidirectional Granger Cause IDVIDGGCEX Granger Cause IDV2.852470.0782RejectNoneGranger Cause IDV1.252880.3045RejectNoneIDV does not Granger Cause PGR1.252880.3045RejectNoneIDV does not Granger Cause PGR0.229520.7967RejectNoneIDV does not Granger Cause IDV0.229520.7967RejectUnidirectionalIDV does not Granger Cause FDI0.229520.7967RejectUnidirectionalIDV does not Granger Cause LogCES does not LogCES does not 1.001550.3536RejectUnidirectionalGranger Cause LogCES LogCES LogCES does not LogCES does not1.001550.3828RejectNoneGranger Cause LogCES LogCES does not LogCES does not0.263900.7703RejectNoneGranger Cause LogCES LogCES does not0.263900.7703RejectNoneFDI OGR does not0.438400.6503RejectNoneGranger Cause LogCES LogCES does not1.96430.3204RejectNoneFDI OGGCEX LogGCEX does I of Granger Cause FDI0.628600.5423RejectInidirectionalGranger Cause FDI0.628600.544AcceptUnidirectionalInidirectionalGranger Cause FOGR0.626680.	Granger Cause						
not Granger Cause IDV	LogCES						
IDV IDV does not 6.73046 0.0050 Accept Unidirectional Granger Cause LogGCEX PGR does not 2.85247 0.0782 Reject Granger Cause IDV IDV does not 1.25288 0.3045 Reject None Granger Cause PGR FDI does not 0.22952 0.7967 Reject Granger Cause IDV IDV does not 3.57748 0.0444 Accept Unidirectional Granger Cause FDI LogGCEX does 1.08792 0.3536 Reject LogCES 40000 1.08792 0.3536 Reject LogCES 40000 1.00155 0.3828 Reject Granger Cause LogCES 40000 1.00155 0.3828 Reject Granger Cause LogCES 40000 0.7703 Reject None Granger Cause Granger Cause LogCES 40000 0.7703 Reject None Granger Cause LogCES 40000 0.7703 Reject Unidirectional Granger Cause LogCES 40000 0.7703 Reject Unidirectional Granger Cause LogCES 40000 0.7703 Reject Unidirectional Granger Cause LogCES 40000 0.743 0.3204 Reject LogCEX 40000 0.0543 Reject FDI 40000 0.62860 0.5423 Reject LogGCEX 40000 0.62860 0.5423 Reject LogGCEX 40000 0.62860 0.5423 Reject FDI 40000 0.62860 0.5423 Reject LogGCEX 40000 0.62860 0.5423 Reject LogGCEX 40000 0.62860 0.5423 Reject FDI 40000 0.62860 0.5423 Reject FDI 40000 0.62860 0.5423 Reject LogGCEX 40000 0.62860 0.5423 Reject FDI 40000 0.6000 0.5423 Reject FDI 40000 0.6000 0.5420 Reject FDI 40000 0.6000 0.5420 Reject FDI 40000 0.00000 Reject FDI 40000 0.0000 Reject FDI 4	LogGCEX does	0.82727	0.4498	Reject			
IDV does not Granger Cause LogGCEX6.730460.0050AcceptUnidirectional Granger Cause IDVIDV does not Granger Cause IDV2.852470.0782RejectNoneIDV does not Granger Cause PGR1.252880.3045RejectNoneIDV does not Granger Cause PGR0.229520.7967RejectNoneIDV does not Granger Cause PDI UDV0.229520.7967RejectUnidirectionalGranger Cause FDI LogGCEX does LogCES1.087920.3536RejectUnidirectionalGranger Cause LogCES1.087920.3536RejectUnidirectionalGranger Cause LogCES1.001550.3828RejectUnidirectionalGranger Cause LogCES0.263900.7703RejectNoneGranger Cause LogCES0.263900.7703RejectNoneGranger Cause LogCES0.438400.6503RejectNoneGranger Cause LogCES0.1190.1227RejectNoneGranger Cause LogCES0.30190.1227RejectNoneGranger Cause FDI0.20016AcceptUnidirectionalGranger Cause PGR0.628600.5423RejectNoneFDI does not Granger Cause FDI0.628600.5423RejectNoneFDI does not CagGCEX0.628600.5423RejectNoneFDI does not Granger Cause FDI0.628600.5444AcceptUnidirectionalGrang	not Granger Cause						
Granger Cause LogGCEX2.852470.0782RejectPGR does not Granger Cause IDV1.252880.3045RejectNoneIDV does not Granger Cause IDV0.229520.7967RejectNoneFDI does not Granger Cause IDV0.229520.7967RejectUnidirectionalGranger Cause IDV0.229520.7967RejectUnidirectionalGranger Cause IDV0.229520.7967RejectUnidirectionalGranger Cause FDI LogGCEX does LogCES1.087920.3536RejectUnidirectionalGranger Cause LogCES1.087920.3526RejectUnidirectionalGranger Cause LogCES1.001550.3828RejectUnidirectionalGranger Cause LogCES0.263900.7703RejectNoneGranger Cause LogCES0.263900.7703RejectNoneGranger Cause LogCES0.438400.6503RejectNoneGranger Cause LogCES0.301190.1227RejectNoneGranger Cause LogCES0.30100.2024RejectUnidirectionalGranger Cause LogCEX0.3204RejectUnidirectionalGranger Cause FDI0.3216RejectUnidirectionalGranger Cause FDI0.428600.5423RejectUnidirectionalGranger Cause FDI0.628600.5423RejectUnidirectionalGranger Cause FDI0.054680.0544AcceptUnidirectional	IDV						
LogGCEX PGR does not2.852470.0782RejectJDV1.252880.3045RejectNoneIDV does not1.252880.3045RejectNoneGranger Cause PGR0.229520.7967RejectNoneJDV does not0.229520.7967RejectIndirectionalGranger Cause IDV0.0444AcceptUnidirectionalGranger Cause FDI0.0536RejectIndirectionalGranger Cause LogGCEX does1.087920.3536RejectLogGCES does not4.880390.0171AcceptUnidirectionalGranger Cause LogCES0.0263900.7703RejectNoneGranger Cause LogCES0.263900.7703RejectNoneGranger Cause LogCES0.438400.6503RejectNoneGranger Cause LogCES0.01190.1227RejectNoneGranger Cause LogCES0.0016AcceptUnidirectionalGranger Cause LogCES0.01710.0016AcceptUnidirectionalGranger Cause LogCES0.0127RejectIndirectionalGranger Cause LogCES0.026400.5423RejectIndirectionalGranger Cause LogGCEX0.0544AcceptUnidirectionalGranger Cause FDI0.028600.5423RejectIndirectionalGranger Cause FDI0.0504AcceptUnidirectionalGranger Cause FDI0.0544AcceptUnidirectional<	IDV does not	6.73046	0.0050	Accept	Unidirectional		
PGR does not Granger Cause IDV2.852470.0782RejectIDV Granger Cause PGR1.252880.3045RejectNoneGranger Cause PGR0.229520.7967RejectNoneFDI does not Granger Cause IDV0.229520.7967RejectImage: CauseIDV IDV does not Granger Cause IDV3.577480.0444AcceptUnidirectionalIDV does not Granger Cause LogCEX does 							
Granger Cause IDVI.252880.3045RejectNoneIDV does not Granger Cause PGR0.229520.7967RejectNoneFDI does not Granger Cause IDV0.229520.7967RejectImage CauseIDVIDV0.229520.7967RejectImage CauseIDVIDV0.229520.7967RejectImage CauseIDVIDV does not3.577480.0444AcceptUnidirectionalGranger Cause FDIImage CauseImage CauseImage CauseImage CauseLogCES1.087920.3536RejectImage CauseLogCESImage CauseImage CauseImage CauseImage CauseLogCESImage CauseImage CauseImage CauseImage CauseLogCESImage CauseImage CauseImage CauseImage CausePGRImage CauseImage CauseImage CauseImage CauseLogCESImage CauseImage CauseImage CauseImage CauseLogCESImage CauseImage CauseImage CauseImage CauseLogCEXImage CauseImage CauseImage CauseImage CauseLogGCEXImage Cause							
IDV does not 1.25288 0.3045 Reject None Granger Cause FOR 0.22952 0.7967 Reject Granger Cause IDV IDV does not 0.22952 0.7967 Reject IDV 0005 not 3.57748 0.0444 Accept Unidirectional Granger Cause FDI 0.2005 LogGCEX does 1.08792 0.3536 Reject LogGCEX does not 4.88039 0.0171 Accept Unidirectional Granger Cause LogCES 0.268 0.26390 0.7703 Reject None Granger Cause LogCES LogCES 0.26390 0.7703 Reject Unidirectional Granger Cause LogCES LogCES 0.230119 0.1227 Reject Granger Cause LogGCEX 1.19643 0.3204 Reject LogGCEX 1.19643 0.3204 Reject LogGCEX does 1.19643 0.3204 Reject LogGCEX does 0.5423 Reject FDI does not 0.62860 0.5423 Reject Granger Cause LogGCEX does 0.5423 Reject FDI does not 0.62860 0.5423 Reject FDI does not 0.2646 0.3012 Reject None Granger Cause FDI FDI does not 1.26468 0.3012 Reject None Granger Cause FDI FDI does not 0.17702 0.8389 Reject		2.85247	0.0782	Reject			
IDV does not Granger Cause PGR1.252880.3045RejectNoneFDI does not Granger Cause IDV0.229520.7967Reject0.229520.7967IDV does not Granger Cause IDV3.577480.0444AcceptUnidirectionalIDV does not Granger Cause LogGCEX does 100 Granger Cause LogCES1.087920.3536Reject0.0171LogGCEX does Not Granger Cause LogCES4.880390.0171AcceptUnidirectionalGranger Cause LogCES0.263900.7703RejectNoneGranger Cause LogCES0.263900.7703RejectNoneGranger Cause LogCES0.263900.7703RejectNoneGranger Cause LogCES0.263900.7703RejectNoneGranger Cause LogCES0.263900.7703RejectNoneGranger Cause LogCES0.230190.1227RejectNoneGranger Cause FDI0.01710.0016AcceptUnidirectionalGranger Cause LogCEX1.196430.3204RejectNoneGranger Cause LogGCEX does0.628600.5423RejectNoneFDI does not Ot Granger Cause LogGCEX does0.628600.5423RejectNoneFDI does not Granger Cause FDI0.264680.3012RejectNoneFDI does not Granger Cause FDI1.264680.3012RejectNoneFDI does not Granger Cause FDI0.177020.8389Reject <td></td> <td></td> <td></td> <td></td> <td></td>							
Granger Cause PGR0.229520.7967RejectFDI does not Granger Cause IDV3.577480.0444AcceptUnidirectionalGranger Cause FDI LogGCEX does to Granger Cause LogCES1.087920.3536RejectLogGCEX does of Granger Cause LogCES1.087920.3536RejectLogGCEX does of Granger Cause LogCES4.880390.0171AcceptUnidirectionalGranger Cause LogCES0.01550.3828RejectCaranger Cause LogCES0.263900.7703RejectNoneGranger Cause LogCES0.263900.7703RejectNoneGranger Cause LogCES0.263900.7703RejectNoneGranger Cause LogCES0.2301190.1227RejectNoneGranger Cause FDI0.301190.1227RejectLogCES0.0016AcceptUnidirectionalGranger Cause FDI0.3204RejectLogGCEX LogGCEX0.3204RejectLogGCEX does LogGCEX0.313060.5423RejectCranger Cause FDI0.264680.3012RejectFDI does not Granger Cause FDI1.264680.3012RejectNoneFDI does not Granger Cause FDI0.77020.8389RejectFDI does not Granger Cause FDI0.7702RejectNoneFDI does not Granger Cause FDI <td></td> <td></td> <td></td> <td></td> <td></td>							
PGR FDI does not0.229520.7967RejectFDI does not3.577480.0444AcceptUnidirectionalGranger Cause FDI111LogGCEX does1.087920.3536Reject1LogCES1.087920.3536Reject1LogCES1.087920.3536Reject1LogCES1.087920.3536Reject1LogCES1.001550.3828Reject1LogCES1.001550.3828Reject1LogCES1.001550.3828Reject1LogCES1.001550.3828Reject1LogCES1.001550.3828Reject1LogCES1.001550.3828Reject1LogCES1.001550.3828Reject1LogCES1.001550.3828Reject1CogCES1.001550.3828Reject1LogCES1.001550.263900.7703RejectLogCES1.00261.00156Reject1LogCES1.001570.0016AcceptUnidirectionalGranger Cause1.196430.3204Reject1LogGCEX1.196430.3204Reject1LogGCEX1.196430.3204Reject1LogGCEX1.196430.3204Reject1LogGCEX1.196430.3012Reject1LogGCEX1.264680.3012Reject		1.25288	0.3045	Reject	None		
FDI does not Granger Cause IDV0.229520.7967RejectIDV IDV does not 							
Granger Cause IDVJ.577480.0444AcceptUnidirectional Unidirectional Granger Cause FDILogGCEX does LogCES1.087920.3536RejectIndirectional Granger Cause LogCESLogCES LogCES4.880390.0171AcceptUnidirectional Granger CauseLogGCEX LogCES4.880390.0171AcceptUnidirectional Granger CauseLogGCEX LogCES1.001550.3828RejectIndirectional Granger CauseLogCES LogCES0.07703RejectNoneGranger Cause LogCES0.263900.7703RejectNoneGranger Cause PGR0.263900.7703RejectNoneGranger Cause LogCES0.263900.7703RejectNoneGranger Cause LogCES0.263900.7703RejectNoneFDI does not OGR0.438400.6503RejectUnidirectionalGranger Cause FDI0.1227RejectUnidirectionalGranger Cause LogGCEX0.30190.1227RejectUnidirectionalGranger Cause PGR0.628600.5423RejectGranger CausePGR0.628600.5423RejectUnidirectionalOf Granger Cause FDI FDI does not1.264680.3012RejectNoneFDI does not FDI does not1.264680.3012RejectNoneFDI does not FDI does not1.264680.3012RejectNoneFDI does not FDI FDI does not1.26468 </td <td></td> <td>0.00050</td> <td>0 70(7</td> <td>D</td> <td></td>		0.00050	0 70(7	D			
IDV IDV does not 3.57748 0.0444 Accept Unidirectional Granger Cause FDI LogGCEX does 1.08792 0.3536 Reject not Granger Cause LogCES LogCES does not 4.88039 0.0171 Accept Unidirectional Granger Cause LogCEX PGR does not 1.00155 0.3828 Reject Granger Cause LogCES LogCES does not 0.26390 0.7703 Reject None Granger Cause PGR FDI does not 0.43840 0.6503 Reject Granger Cause LogCES LogCES does not 2.30119 0.1227 Reject Granger Cause FDI PGR does not 8.67107 0.0016 Accept Unidirectional Granger Cause FDI PGR does not 0.62860 0.5423 Reject IogGCEX LogCEX does not 0.62860 0.5423 Reject Granger Cause FGR FDI does not 0.62860 0.5423 Reject Granger Cause FDI FDI does not 0.62860 0.5423 Reject IogGCEX LogGCEX does 1.19643 0.3204 Reject Tot Granger Cause FDI FDI does not 0.62860 0.5423 Reject FDI does not 0.62860 Reject FDI does not 0.62860 Reject FDI does not 0.7702 Reject FDI does no		0.22952	0.7967	Reject			
IDV does not Granger Cause FDI3.577480.0444AcceptUnidirectionalGranger Cause LogCEX1.087920.3536RejectLogCEX does LogCES1.087920.3536RejectUnidirectionalGranger Cause LogCEX4.880390.0171AcceptUnidirectionalGranger Cause LogCES1.001550.3828RejectUnidirectionalGranger Cause LogCES0.263900.7703RejectNoneGranger Cause PGR0.263900.7703RejectNoneFDI does not Granger Cause LogCES0.438400.6503RejectNoneFDI does not Granger Cause LogCES0.301190.1227RejectUnidirectionalGranger Cause LogCEX LogCEX does not Granger Cause LogCEX1.196430.3204RejectUnidirectionalGranger Cause LogCEX LogGCEX LogGCEX LogGCEX LogGCEX does DI FDI does not0.628600.5423RejectUnidirectionalGranger Cause LogCEX LogGCEX LogGCEX LogGCEX LogGCEX does Not Granger Cause FDI Hol does not1.264680.3012RejectNoneFDI does not FDI does not1.264680.3012RejectNoneNoneFDI does not FDI does not0.177020.8389RejectNone	e e						
Granger Cause FDI.LogGCEX does to Granger Cause LogCES1.087920.3536RejectLogCES to Granger Cause LogCEX0.0171AcceptUnidirectionalGranger Cause LogCES1.001550.3828RejectIndirectionalGranger Cause LogCES0.263900.7703RejectNoneGranger Cause LogCES0.263900.7703RejectNoneGranger Cause LogCES0.263900.7703RejectNoneGranger Cause PGR0.263900.7703RejectNoneGranger Cause LogCES0.2301190.1227RejectNoneFDI does not Granger Cause LogCES2.301190.1227RejectUnidirectionalGranger Cause FDI0.0016AcceptUnidirectionalUnidirectionalGranger Cause FDI0.0016AcceptUnidirectionalGranger Cause LogCEX LogGCEX does Of Granger Cause FDI0.628600.5423RejectFDI does not OGR0.628600.5423RejectUnidirectionalof Granger Cause LogGCEX LogGCEX does DI does not1.264680.3012RejectNoneFDI does not FDI does not1.264680.3012RejectNoneFDI does not FDI does not0.177020.8389RejectNone		2 57710	0.0444	Assant	Unidianational		
FDILogGCEX does1.087920.3536Rejectnot Granger CauseLogCES1.087920.0171AcceptUnidirectionalGranger CauseLogCES0.0171AcceptUnidirectionalGranger Cause1.001550.3828RejectGranger CauseLogCES1.001550.3828RejectNoneGranger Cause0.263900.7703RejectNoneGranger Cause0.263900.7703RejectNoneGranger Cause0.438400.6503RejectSecondFDI does not0.438400.6503RejectSecondGranger Cause0.438400.6503RejectSecondLogCES1.09CES1.00155SecondSecondLogCES1.09CES1.001551.12643SecondSecondLogGCEX1.196430.3204RejectUnidirectionalGranger Cause1.196430.3204RejectSecondFDI does not0.628600.5423RejectGranger CauseLogGCEX1.196430.3204AcceptUnidirectionalnot Granger Cause1.264680.3012RejectNoneFDI does not1.264680.3012RejectNoneFDI does not1.264680.3012RejectNoneFDI does not1.264680.3012RejectNoneFDI does not0.177020.8389RejectNone		5.57748	0.0444	Accept	Unidirectional		
LogGCEX does not Granger Cause LogCES1.087920.3536RejectReject LogCES does not Granger Cause LogGCEX4.880390.0171AcceptUnidirectionalGranger Cause LogCES0.01550.3828RejectUnidirectionalGranger Cause LogCES0.263900.7703RejectNoneGranger Cause LogCES0.263900.7703RejectNoneGranger Cause PGR0.438400.6503RejectNoneFDI does not Granger Cause LogCES0.301190.1227RejectInidirectionalGranger Cause FDI PGR does not8.671070.0016AcceptUnidirectionalGranger Cause FDI FOI PGR does not0.628600.5423RejectInidirectionalGranger Cause FDI PGR0.0504AcceptUnidirectionalInidirectionalGranger Cause FDI PGR0.528600.5423RejectInidirectionalFDI does not OGCEX0.628600.5423RejectInidirectionalIogGCEX LogGCEX does3.313060.0544AcceptUnidirectionalnot Granger Cause FDI FDI does not1.264680.3012RejectNoneFDI does not FDI FDI does not1.264680.3012RejectNoneFDI does not FDI FDI does not0.177020.8389RejectNone							
not Granger Cause LogCES LogCES does not 4.88039 0.0171 Accept Unidirectional Granger Cause LogGCEX PGR does not 1.00155 0.3828 Reject Granger Cause LogCES LogCES does not 0.26390 0.7703 Reject None Granger Cause PGR FDI does not 0.43840 0.6503 Reject Granger Cause LogCES LogCES does not 2.30119 0.1227 Reject Granger Cause FDI PGR does not 8.67107 0.0016 Accept Unidirectional Granger Cause FDI PGR does not 8.67107 0.0016 Accept Unidirectional Granger Cause FDI PGR does not 0.62860 0.5423 Reject Granger Cause PGR FDI does not 0.62860 0.5423 Reject Granger Cause FDI FDI does not 0.62860 0.5423 Reject Granger Cause FDI FDI does not 1.26468 0.3012 Reject None Granger Cause FDI FDI does not 1.26468 0.3012 Reject None		1 08792	0 3536	Reject			
LogCESLogCES does not4.880390.0171AcceptUnidirectionalGranger CauseLogGCEXPGRNoneSecond Second	0	1.00772	0.55550	Reject			
LogCES does not4.880390.0171AcceptUnidirectionalGranger Cause1.001550.3828RejectGranger CauseLogCES1.001550.3828RejectNoneGranger Cause0.263900.7703RejectNoneGranger Cause0.263900.7703RejectNoneGranger Cause0.438400.6503RejectNoneGranger Cause0.438400.6503RejectSecondar Secondar Seco							
Granger Cause LogGCEXI.001550.3828RejectPGR does not1.001550.3828RejectGranger Cause LogCESI.0263900.7703RejectNoneGranger Cause PGRI.0438400.6503RejectNoneGranger Cause PGRI.02028I.02028I.02028I.02028LogCES LogCESI.02028I.020190.1227RejectGranger Cause FDII.00150.0016AcceptUnidirectionalGranger Cause FDII.196430.3204RejectI.02028LogGCEX Granger CauseI.196430.3204RejectI.02028LogGCEX Granger CauseI.196430.3204RejectI.020262FDI HOI does not0.628600.5423RejectI.020262FDI does not0.628600.5423RejectI.020262FDI does not1.264680.3012RejectI.0111011111111111111111111111111111111		4 88039	0.0171	Accent	Unidirectional		
LogGCEXPGR does not1.001550.3828RejectGranger CauseLogCESNoneLogCES does not0.263900.7703RejectNoneGranger Cause0.438400.6503RejectSelectPGR0.438400.6503RejectSelectSelectGranger Cause0.438400.6503RejectSelectSelectLogCES0.2301190.1227RejectSelectSelectGranger Cause0.0016AcceptUnidirectionalSelectFDI0.0016AcceptUnidirectionalSelectGranger Cause0.3204RejectSelectSelectLogGCEX0.628600.5423RejectSelectGranger Cause0.628600.5423RejectSelectPGR0.026CEX0.0544AcceptUnidirectionalnot Granger Cause0.0544AcceptUnidirectionalnot Granger Cause0.0544AcceptUnidirectionalnot Granger Cause0.3012RejectNoneFDI1.264680.3012RejectNoneFDI does not1.264680.3012RejectNoneGranger CauseFGRFGRFGRFGRPGRFGR <td></td> <td>1.00057</td> <td>0.0171</td> <td>riccept</td> <td>emanootionar</td>		1.00057	0.0171	riccept	emanootionar		
PGR does not1.001550.3828RejectGranger CauseLogCES0.263900.7703RejectNoneGranger CausePGR0.438400.6503RejectGranger CausePGR0.438400.6503RejectGranger CauseSecond Second							
Granger Cause LogCES0.263900.7703RejectNoneGranger Cause PGRPGR0.438400.6503Reject0.0000FDI does not Granger Cause LogCES0.438400.6503Reject0.0000LogCES0.00000.1227Reject0.00000.0000Granger Cause LogCES0.00000.0000AcceptUnidirectionalGranger Cause FDI0.00016AcceptUnidirectionalGranger Cause LogGCEX0.3204Reject0.00000LogGCEX does not Granger Cause PGR0.628600.5423RejectFDI does not OGCEX0.628600.0544AcceptUnidirectionalIndiger Cause LogGCEX0.00000.00000AcceptUnidirectionalFDI does not DI Granger Cause LogGCEX0.00000AcceptUnidirectionalPGR0.000000.00000AcceptUnidirectionalPGR0.000000.00000AcceptUnidirectionalPGR0.000000.00000AcceptUnidirectionalPGR0.000000.00000AcceptUnidirectionalPGR0.000000.00000AcceptUnidirectionalPGR0.000000.00000AcceptUnidirectionalPGR0.000000.00000AcceptUnidirectionalPGR0.000000.00000AcceptUnidirectionalPGR0.000000.00000AcceptUnidirectionalPGR0.0000000.00000 <t< td=""><td>-</td><td>1.00155</td><td>0.3828</td><td>Reject</td><td></td></t<>	-	1.00155	0.3828	Reject			
LogCESLogCES does not0.263900.7703RejectNoneGranger CausePGR0.438400.6503Reject0.0000PGR0.438400.6503Reject0.00000.0000Granger Cause0.00000.0000Reject0.0000LogCES0.00000.0000AcceptUnidirectionalGranger Cause0.0000AcceptUnidirectionalFDI0.0000AcceptUnidirectionalGranger Cause0.3204Reject0.0000LogGCEX0.628600.5423RejectGranger Cause0.628600.5423RejectPGR0.00000.0000AcceptUnidirectionalnot Granger Cause0.00000.0000AcceptUnidirectionalnot Granger Cause0.00000.0000AcceptUnidirectionalnot Granger Cause0.00000.0000AcceptUnidirectionalnot Granger Cause0.00000.0000AcceptUnidirectionalnot Granger Cause0.00000.0000AcceptUnidirectionalFDIFDIFDIFDIFDIFDIFDI does not1.264680.3012RejectNoneGranger CauseFORF	Granger Cause			5			
Granger Cause PGR0.438400.6503RejectFDI does not Granger Cause LogCES0.438400.6503RejectGranger Cause LogCES does not Granger Cause FDI2.301190.1227RejectPGR does not Granger Cause LogGCEX LogGCEX LogGCEX does not Granger Cause PGR8.671070.0016AcceptUnidirectionalGranger Cause LogGCEX 							
PGRFDI does not0.438400.6503RejectGranger CauseLogCESLogCES does not2.301190.1227RejectGranger Cause0.0016AcceptUnidirectionalFDIFDIFDIFDIPGR does not8.671070.0016AcceptUnidirectionalGranger Cause1.196430.3204RejectFDILogGCEX1.196430.3204RejectFDIPGRFDI does not0.628600.5423RejectGranger Cause1.264680.00544AcceptUnidirectionalnot Granger CauseFDIFDIFDIFDI does not1.264680.3012RejectNoneGranger CauseFDIFDI does not1.264680.3012RejectFDI does not1.264680.3012RejectNoneGranger CauseFDIFDI does not1.264680.3012RejectFDI does not0.177020.8389RejectNone	LogCES does not	0.26390	0.7703	Reject	None		
FDI does not Granger Cause LogCES0.438400.6503RejectReject0.1227RejectLogCES does not Granger Cause2.301190.1227RejectFDI0.0016AcceptUnidirectionalPGR does not Granger Cause8.671070.0016AcceptUnidirectionalLogGCEX LogGCEX0.3204RejectNejectPGR0.628600.5423RejectNejectPGR0.0060.0544AcceptUnidirectionalGranger Cause LogGCEX0.0544AcceptUnidirectionalPGR0.0544AcceptUnidirectionalPGCEX LogGCEX0.313060.0544AcceptUnidirectionalnot Granger Cause FDI0.3012RejectNoneFDI does not1.264680.3012RejectNoneGranger Cause FDI0.0177020.8389RejectNone	Granger Cause						
Granger Cause LogCES2.301190.1227RejectGranger Cause FDI0.0016AcceptUnidirectionalPGR does not Granger Cause8.671070.0016AcceptUnidirectionalLogGCEX LogGCEX0.3204Rejectnot Granger CauseFDIPGR FDI does not0.628600.5423RejectGranger CauseLogGCEX LogGCEX0.3204RejectInidirectionalFDI does not0.628600.5423RejectGranger Cause LogGCEX0.0544AcceptUnidirectionalnot Granger Cause FDI1.264680.3012RejectNoneGranger Cause FDI1.264680.3012RejectNoneGranger Cause FDI0.177020.8389RejectInitial content in the second content							
LogCESLogCES does not2.301190.1227RejectGranger CauseFDIPGR does not8.671070.0016AcceptUnidirectionalGranger Cause1.196430.3204Rejectnot Granger CauseLogGCEX1.196430.3204RejectFDIPGR1.196430.5423RejectGranger CausePGR1.196430.5423RejectFDIFDI does not0.628600.5423RejectGranger CauseLogGCEX1.264680.0544AcceptUnidirectionalnot Granger Cause1.264680.3012RejectNoneFDIFDIFDIFDIFDIFDI does not1.264680.3012RejectNoneGranger Cause9GR9GRFDIFDIFDRFDIFDIFDIFDIFDI does not1.264680.3012RejectNoneGranger CauseFDIFDIFDIFDIFDI does not1.264680.3012RejectNoneGranger CauseFDIFDIFDIFDIFDI does not1.264680.3012RejectNoneFORFORFOIFDIFDIFDIFORFORFOIFDIFDIFDIFORFORFOIFOIFOIFOIFORFOIFOIFOIFOIFOIFORFOIFOIFOIFOIFOIFOI<		0.43840	0.6503	Reject			
LogCES does not Granger Cause FDI2.301190.1227RejectPGR does not Granger Cause LogGCEX LogGCEX does not Granger Cause PGR8.671070.0016AcceptUnidirectionalGranger Cause LogGCEX LogGCEX does PGR1.196430.3204RejectInitial contraction cont							
Granger CauseFDIPGR does not8.671070.0016AcceptUnidirectionalGranger CauseLogGCEXLogGCEX does1.196430.3204Rejectnot Granger CausePGRFDI does not0.628600.5423RejectGranger CauseLogGCEXLogGCEXLogGCEXLogGCEXLogGCEX does3.313060.0544AcceptUnidirectionalnot Granger CauseFDIFDIFDI does not1.264680.3012RejectFDIFDI does not1.264680.3012RejectFORPGRPGR does not0.177020.8389Reject	-						
FDIPGR does not8.671070.0016AcceptUnidirectionalGranger CauseLogGCEX1.196430.3204RejectLogGCEX does1.196430.3204Rejectnot Granger Cause0.628600.5423RejectPGR1.196430.05423RejectFDI does not0.628600.5423RejectLogGCEX1.264680.0544AcceptUnidirectionalnot Granger Cause1.264680.3012RejectNoneFDIFDI does not1.264680.3012RejectNoneGranger Cause9GR9GR0.177020.8389Reject		2.30119	0.1227	Reject			
PGR does not8.671070.0016AcceptUnidirectionalGranger CauseLogGCEXLogGCEX does1.196430.3204Rejectnot Granger Cause </td <td>-</td> <td></td> <td></td> <td></td> <td></td>	-						
Granger CauseImage: CauseLogGCEX1.196430.3204Rejectnot Granger Cause0.628600.5423RejectPGR0.628600.5423RejectGranger Cause0.628600.5423RejectLogGCEX0.05620.0544AcceptUnidirectionalnot Granger Cause0.0544AcceptUnidirectionalnot Granger Cause0.3012RejectNoneFDI1.264680.3012RejectNoneGranger Cause0.177020.8389Reject		9 (7107	0.0016	A	T.T., : d'		
LogGCEXLogGCEX does1.196430.3204Rejectnot Granger Cause0.628600.5423RejectPGR0.628600.5423RejectGranger Cause0.628600.5423RejectLogGCEX0.0564AcceptUnidirectionalnot Granger Cause0.0544AcceptUnidirectionalnot Granger Cause0.0544AcceptUnidirectionalFDI1.264680.3012RejectNoneGranger Cause0.177020.8389Reject		8.0/10/	0.0016	Accept	Unidirectional		
LogGCEX does1.196430.3204Rejectnot Granger CausePGRFDI does not0.628600.5423RejectGranger CauseUnidirectionalLogGCEXUnidirectionalLogGCEX does3.313060.0544AcceptLogGCEX does1.264680.3012RejectFDIInterpret and the second							
not Granger Cause PGR FDI does not 0.62860 0.5423 Reject Granger Cause LogGCEX LogGCEX does 3.31306 0.0544 Accept Unidirectional not Granger Cause FDI FDI does not 1.26468 0.3012 Reject None Granger Cause PGR PGR does not 0.17702 0.8389 Reject		1 10643	0 2204	Daiaat			
PGRFDI does not0.628600.5423RejectGranger CauseLogGCEXLogGCEX does3.313060.0544AcceptUnidirectionalnot Granger CauseFDIFDI does not1.264680.3012Granger CausePGRPGR does not0.177020.8389Reject		1.19045	0.5204	Reject			
FDI does not0.628600.5423RejectGranger Cause							
Granger Cause LogGCEX3.313060.0544AcceptUnidirectionalnot Granger Cause FDI1.264680.3012RejectNoneGranger Cause PGR9GR0.177020.8389Reject		0.62860	0 5423	Reject			
LogGCEXLogGCEX does3.313060.0544AcceptUnidirectionalnot Granger CauseFDIFDI does not1.264680.3012RejectNoneGranger CausePGRPGR does not0.177020.8389Reject		0.02000	0.5 125	Reject			
LogGCEX does3.313060.0544AcceptUnidirectionalnot Granger CauseFDIFDI does not1.264680.3012RejectNoneGranger Cause </td <td>e e</td> <td></td> <td></td> <td></td> <td></td>	e e						
not Granger Cause FDI FDI does not 1.26468 0.3012 Reject None Granger Cause PGR PGR 0.17702 0.8389 Reject		3.31306	0.0544	Accept	Unidirectional		
FDIFDI does not1.264680.3012RejectNoneGranger CausePGRPGR does not0.177020.8389Reject				F.			
Granger Cause PGR PGR does not 0.17702 0.8389 Reject							
Granger Cause PGR PGR does not 0.17702 0.8389 Reject	FDI does not	1.26468	0.3012	Reject	None		
PGR PGR does not 0.17702 0.8389 Reject				5			
	e e						
		0.17702	0.8389	Reject			
<u> </u>	Granger Cause FDI						

Source: Authors'2021

sharply during the second period, and this remains to the end of the forecast. Conversely, the variation in industrial development rose sharply in the second period to 20%, and this sharp rise continued to 53.6% to the end of the forecast period.

 Table 6: Variance Decomposition (VD) of industrial development

Period	SE	IDV	CES
1	1.223998	100.0000	0.000000
2	1.957275	99.98432	0.015684
3	2.644096	99.68097	0.319032
4	3.179329	99.70716	0.292843
5	3.685882	99.70209	0.297906
6	4.137741	99.67101	0.328995
7	4.550034	99.64977	0.350227
8	4.933576	99.63311	0.366886
9	5.293431	99.61364	0.386364
10	5.632257	99.59640	0.403596


Source: Authors' 2021

Table 7: Variance Decomposition (VD) of Clean Energy Supply

Period	SE	IDV	CES
1	0.045931	7.123703	92.87630
2	0.050144	20.04116	79.95884
3	0.051492	19.00556	80.99444
4	0.054349	20.36080	79.63920
5	0.056984	24.96012	75.03988
6	0.059563	29.93055	70.06945
7	0.062696	35.52661	64.47339
8	0.066418	41.95942	58.04058
9	0.070370	47.98947	52.01053
10	0.074621	53.56872	46.43128

Source: Authors' 2021

Figure 1: Impulse response functions of manufacturing value added and clean energy supply



5. CONCLUSION AND RECOMMENDATIONS

This study employed various econometric techniques to examine the relationship between clean energy supply and industrial development in Nigeria over the period of 1990-2019. The paper sets to establish the nature of the long run relationship, the direction of causality and the stochastic dynamic interaction that exist between clean energy supply and industrial development. Consequently, the findings emanating from this study are stated as follows; there is a negative relationship between population growth rate and manufacturing value added which is significant at 10% level of significance. Clean energy supply and manufacturing value added had a significant negative relationship. This implies that clean energy supply added a significant decrease to manufacturing value added in the country. Therefore, supply of electricity production from hydroelectric sources had not led to industrial development in Nigeria in the past three decades. The reason for this result might be attributed the incessant power outage in the country due to the unsustainability supply of electricity production from hydroelectric sources in the country. Further proofs from the Granger causality technique shows that no feedback relationship exists between clean energy supply and industrial development in the county of study. Also, the stochastic dynamic interaction between clean energy supply and industrial development shows that industrial development has an important impact on the Nigerian economy because a shock to manufacturing value added determines the behavior of clean energy supply to a larger extent in one hand, whereas, variance decomposition of clean energy supply shows the similar effect on the behavior of industrial development on the other hand.

In the light of the above findings, this study makes the following recommendations for the Nigerian policymakers; in achieving the Sustainable Development Goal (SDG7), clean energy supply could be explored for future industrial development in Nigeria, thought it currently lacks the capacity to drive the manufacturing sector of the economy. And as such, the Nigerian policymakers and other stakeholders should work hard to achieve sustainable supply of adequate electricity production from hydroelectric sources in the country.

6. ACKNOWLEDGMENTS

Authors of this paper would like to recognize and appreciate the support of the Covenant University Centre for Research, Innovation, and Development (CUCRID) as well as financial supports in the course of this study are highly recognized. In the same vein, the authors of this paper affirm no conflict of interest with anyone.

REFERENCES

- Aboagye, S. (2016), The implication of economic growth, industrialization and urbanization on energy intensity in Sub-Saharan Africa. Journal of Applied Economics and Business Research, 6(4), 297-311.
- Adebosina, W.G., Toriolab, A.K. Salami, L.A., Ajayi, F.O., Yusuf, M. (2019), Industrialisation and economic growth in Nigeria (1981 to 2016). Hallmark University Journal of Management and Social Sciences, 1(1), 1-14.
- Aderemi, T.A., Oyegoke, A.A., Wahid, D.O., Olaoye, O.P, Ayodeji, G.B., Azuh, D.E. (2021), Human capital development, energy consumption and crude oil exports in Nigeria: Implications for sustainable development. International Journal of Energy Economics and Policy, 11(4), 443-449.

Akinwale, Y.O., Ogundari, I.O. (2017), Exploration renewable energy

resources for sustainable development in Nigeria: A study of the federal capital territory. International Journal of Energy Economics and Policy, 7(3), 240-246.

- Aliya, Z.I., Odoh, J.C. (2016), Impact of industrialization in Nigeria. European Scientific Journal, 2(10), 1-11.
- Al-mulali, U., Fereidouni, H.G., Lee, J.Y. (2014), Electricity consumption from renewable and non-renewable sources and economic growth: Evidence from Latin-American countries. Renewable and Sustainable Energy Reviews, 30, 290-298.
- Amar, M.B. (2014), Does industrialization matter for economic growth? Evidence from African Economies, 8(2), 139-152.
- Anyanwu, B.K., Kalu, U.N., Alexanda, O.U. (2015), The effect of industrial development on economic growth: An empirical evidence in Nigeria 1973-2013. European Journal of Business and Social Sciences, 4(2), 127-140.
- Ayeyemi, B. (2013), The determinants of manufacturing sector growth in Sub-Saharan African countries. Research in Business and Economics Journal, 12(5), 20-29.
- Chirambo, D. (2016), Addressing the renewable energy financing gap in Africa to promote universal energy access: Integrated renewable energy financing in Malawi. Renewable and Sustainable Energy Reviews, 62, 793-803.
- Chirambo, D. (2018), Towards the achievement of SDG 7 in sub-Saharan Africa: Creating synergies between Power Africa, sustainable energy for All and climate finance in-order to achieve universal energy access before 2030. Renewable and Sustainable Energy Reviews, 94, 600-608.
- Jebli, M.B., Youssef, S.B. (2014), Economic Growth, Combustible Renewables and Waste Consumption and Emissions in North Africa. Munich: Munich Personal RePEc Archive.
- Maji, I.K. (2015), Does clean energy contribute to economic growth? Evidence from Nigeria. Energy Reports, 1, 145-150.
- Mario, H., Amat, A., Šikić, L. (2016), Backwardness, Industrialisation and Economic Development in Europe, Working Paper 123.
- Mitic, P., Ivanovic, O.M., Zdravkovic, A. (2017), A cointegration analysis of real GDP and CO2 emissions in transitional economies. Sustainability, 9, 1-18.
- Okuneye, B.A. (2019), Industrial sector performance and economic growth in Nigeria. Fountain University Osogbo Journal of Management, 4(1), 15-30.

- Olaoye, O.P., Aderemi, T.A, Nwagwu, C.J., Yvonne, J.O., Azuh, D.E. (2020), Energy consumption and foreign direct investment inflows in Nigeria: An empirical perspective. International Journal of Energy Economics and Policy, 10(2), 1-6.
- Olugasa, T.T., Odesola, I.F., Oyewola, M.O. (2014), Energy production from biogas: A conceptual review for use in Nigeria. Renewable Sustainable Energy Reviews, 32, 770-776.
- Onabote, A., Jolaade, A., Osabohien, R., Otobo, O., Ede, C., Okafor, V. (2021), Energy sustainability, Energy Financing and Economic Growth in Nigeria. International Journal of Energy Economics and Policy, 11(1), 433-439.
- Onakoya, A.B., Onakoya, A.O., Jimi-Salami, O.A., Odedairo, B.O. (2013), Energy consumption and Nigerian economic growth: An emprical analysis. European Scientific Journal, 9(4), 25-40.
- Osabohien, R., Aderemi, T.A., Akindele, D.B., Jolayemi, L.B. (2021), Carbon emissions and life expectancy in Nigeria. International Journal of Energy Economics and Policy, 11(1), 497-501.
- Oyedepo, S.O. (2014), Towards achieving energy for sustainable development in Nigeria. Renewable Sustainable Energy Reviews, 34, 255-272.
- Pao, H.T., Li, Y.Y., Fu, H.C. (2014), Clean energy, non-clean energy, and economic growth in the MIST countries. Energy Policy, 67, 932-942.
- Sambo, A.S., Garba, B., Zarma, I.H. Gaji, M.M. (2012), Electricity generation and the present challenges in the Nigerian power sector. Journal of Energy and Power Engineering, 6(7), 1050-1059.
- Silva, S., Soares, I., Pinho, C. (2012), The impact of renewable energy sources on economic growth and CO2 emissions-a SVAR approach. European Research Studies, 15, 133-144.
- Simsek, H.A., Simsek, N. (2013), Recent incentives for renewable energy in Turkey. Energy Policy, 63, 521-530.
- Troster, V., Shahbaz, M., Uddin, G.S. (2018), Renewable Energy, Oil Prices, and Economic Activity: A Granger-causality in Quantiles Analysis. Munich: Munich Personal RePEc Archive.
- United Nations. (2015), Report on Sustainable Development Goals for the West Africa sub-Region. United States: United Nations Economic Commission for Africa, United Nations.
- WCED. (1987), Our Common Future. World Commission on Environment and Development. World Commission on Environment and Development. Oxford: Oxford University Press.