



Implications of Machine Learning in the Generation of Renewable Energies in Latin America from a Globalized Vision: A Systematic Review

Hugo Gaspar Hernandez-Palma^{1,2}, Jonny Rafael Plaza Alvarado², Jesús Enrique García Guilianny³, Guilherme Luiz Dotto⁴, Claudete Gindri Ramos^{5*}

¹Faculty of Engineering, Ibero-American University Corporation, Calle 67#5-27, Bogotá, Colombia, ²Faculty of Engineering, EAN University, Av. Chile: Calle 71 # 9-84, Bogota Colombia, ³Corporación Universitaria Latinoamericana, Calle 58 # 55 - 24A, Barranquilla, Colombia, ⁴Research Group on Adsorptive and Catalytic Process Engineering (ENGEPAC), Federal University of Santa Maria, Av. Roraima, 1000-7, 97105-900 Santa Maria, RS, Brazil, ⁵Department of Civil and Environmental, Universidad de la Costa, Calle 58 #55-66, 080002, Barranquilla, Atlántico, Colombia. *Email: cgindri@cuc.edu.co

Received: 01 October 2023

Accepted: 11 January 2024

DOI: <https://doi.org/10.32479/ijeep.15301>

ABSTRACT

The global energy industry fundamentally transformed towards renewable energy sources, driven by the sustainability paradigm. This shift was crucial in addressing the challenges of climate change and resource scarcity. Machine Learning (ML) played a pivotal role in enhancing the efficiency and reliability of renewable energy systems. This study conducted a comprehensive analysis of scientific production at the intersection of ML and renewable energy generation, focusing on Latin America. Employing a methodology based on documentary research and bibliometric processes, utilizing the Scopus database with the support of R and VOS viewer software, our research revealed a significant increase in interest and investment in research related to ML and renewable energies since 2020. This exponential growth scenario in this knowledge area had significant implications for Latin America and the world, fostering technological advancements and the adoption of renewable energies. Countries such as China, India, the United States, South Korea, and Saudi Arabia represented 61% of the global scientific production in this field, underscoring its global relevance. This growth indicated a growing interest and investment in ML applications in renewable energies, aligning with the 2030 Agenda for Sustainable Development. This research aligns with the Sustainable Development Goals (SDGs), particularly SDG 7 (Affordable and Clean Energy) and SDG 9 (Industry, Innovation, and Infrastructure). It contributed to progress toward a more sustainable future, benefiting society through more efficient and sustainable energy systems, the energy industry through increased innovation and the adoption of clean technologies, and Latin America, which could leverage these findings to sustainably drive its economic and environmental development.

Keywords: Machine Learning, Power Generation, Renewable Energies

JEL Classifications: A30, Q42, Q56

1. INTRODUCTION

Sustainability is a paramount concern for contemporary society, industries, and governments (Chambers et al., 2021). The current production and transformation systems, heavily reliant on non-renewable resources, teeter on the brink of an irreversible

depletion of these vital natural sources that underpin humanity and ecosystems (Mahari et al., 2021). In response to this pressing global challenge, nations introduced the Millennium Goals in the previous century, serving as a beacon for a unified global agenda promoting species preservation, ecosystem health, human dignity, and more. However, grappling with the complexities of

operationalizing sustainability, driven by vast disparities among nations and profound technological and cultural shifts induced by globalization, the Sustainable Development Goals (SDGs) emerged in 2015 as a central component of the 2030 agenda (Castro et al., 2022). This comprehensive agenda lays a blueprint for a genuinely sustainable global future, featuring 17 objectives and over 160 goals addressing issues like clean energy, infrastructure development, and climate action, among others (Boar et al., 2020). Within this revitalized sustainability context, the energy industry is recognized as one of the world’s foremost sources of pollution and consumers of non-renewable resources, exemplified by SDG 7, “Affordable and clean energy.” This goal outlines strategies and targets for accessible, clean energy generation and transmission for humanity (Li et al., 2023; Manotas et al., 2021).

In contrast to the past, the energy industry has begun committing to generating alternative energies, which consume fewer resources and exert less impact on ecosystems, in acknowledgment of its profound influence on Earth’s sustainability (Laimon et al., 2022). Senior leaders in the energy industry view sustainability as a strategic norm that drives organizational transformation, balancing efficiency, efficacy, environmental impact, and widespread access to energy services (Schwanitz and Wierling, 2022). This equilibrium acknowledges that new technologies, often called moderators or catalysts by experts, play a pivotal role in reshaping the energy industry toward genuine sustainability (Martinez-Sierra et al., 2019; Ghobakhloo and Fathi, 2021). Within this framework, Industry 4.0 technologies like the Internet of Things, blockchain, artificial intelligence, and ML play a pivotal role (Ghobakhloo and Fathi, 2021; Samper et al., 2022).

In the case of machine learning, it has maintained a close relationship with the energy industry since its inception, as evidenced by studies such as “Machine Learning and Deep Learning in Energy Systems: A Review” and “A Review on the Integrated Optimization Techniques and machine learning approaches for modeling, prediction, and decision making on integrated energy systems.” These studies highlight the profound impact of ML on enhancing renewable energy generation and transformation processes in recent years (Alabi et al., 2022; Forootan et al., 2022).

Considering the critical role of technological surveillance in the sustainable energy industry, particularly in machine learning, this study endeavors to characterize the scientific production related to ML in renewable energy generation, focusing on Latin America. This emphasis is well-justified by the imperative to bridge the gap in adopting and applying cutting-edge technologies in the Latin American context, where countries like Peru and Colombia have historically lagged in sustainability compared to their more developed counterparts (Palma et al., 2020; Garcia-Samper et al., 2022).

2. METHODOLOGY

This study is based on bibliometric processes, an area of scientific observation aimed at research in the form of scientific products such as scientific articles, book chapters, and other written

typologies (Ramírez-Duran et al., 2023). A systematic literature search was conducted in the Scopus database in June 2023 with the keywords “Machine learning,” “Renewable energies,” and “Power generation” below. Table 1 shows the standardization of the keywords.

The search equation posed in Scopus was: (TITLE-ABS-KEY (“Machine learning”) AND TITLE-ABS-KEY (“Renewable energies”) OR TITLE-ABS-KEY (“alternative energies”) OR TITLE-ABS-KEY (“clean energies”) OR TITLE-ABS-KEY (“green energies”) AND TITLE-ABS-KEY (“Power generation”) OR TITLE-ABS-KEY (“Energy generation”)); 745 results related to the research topic were obtained and cover a period between 1999 and 2023.

Table 1: Keyword standardization

Keywords	Descriptors
Machine learning	*Machine learning
Renewable energies	*Alternative energies *Clean energies *Green energies
Power generation	*Energy generation

Table 2: Main information of the data obtained from Scopus

Main information about data	
Timespan	2014:2023
Sources (Journals, Books, etc.)	157
Documents	410
Annual Growth Rate %	65.07
Document average age	1.76
Average citations per doc	16,05
References	20010
Document Contents	
Keywords plus (ID)	2873
Author’s keywords (DE)	1284
Authors	
Authors	1515
Authors of single-authored docs	17
Authors Collaboration	
Single-authored docs	18
Co-Authors per Doc	4.19
International co-authorships %	34.15
Document Types	
article	410

Table 3: Lotka’s law

Written documents	N. of Authors	Proportion of authors
1	1383	0.913
2	98	0.065
3	28	0.018
4	2	0.001
5	2	0.001
6	1	0.0007
7	1	0.0007

Table 4: Bradford’s law

Zone	No. Journals	No. Titles	Percentages
Zone 1	7	140	34.15
Zone 2	33	136	33.17
Zone 3	117	134	32.66

Figure 1: Research methodology




Figure 2: Lotka’s Law, source: author based on information from Scopus (2023)




Figure 4: Annual scientific production, source: author based on information from Scopus (2023)




Figure 3: Bradford’s Law, source: author based on information from Scopus (2023)





Figure 5: Scientific production by country, source: author based on information from Scopus (2022)



To these results obtained from the search equation, 3 filters were applied, as shown in Figure 1. The first filter only includes documents published from 2014 to 2023; 739 were obtained, and 6 were excluded. The second filter is that the published documents are articles; 418 were obtained, and 321 were excluded. The third filter is

Table 5: Latin American countries

Country	Article	Authors	Journal
Brazil	Development of a hybrid computational intelligent model for daily global solar radiation prediction.	Goliatt and Yaseen (2023).	Expert Systems with Applications
	Approaches for the short-term prediction of natural daily streamflows using hybrid machine learning enhanced with grey wolf optimization.	Martinho et al. (2023).	Hydrological Sciences Journal
	Assessing the impact of hydropower projects in Brazil through data envelopment analysis and machine learning.	Bortoluzzi et al. (2022).	Renewable Energy
	Ridge regression ensemble of machine learning models applied to solar and wind forecasting in Brazil and Spain.	Carneiro et al. (2022).	Applied Energy
	Solar Irradiance Forecasting to Short-Term PV Power: Accuracy Comparison of ANN and LSTM Models.	Wentz et al. (2022).	Energies
	Prediction-free, real-time flexible control of tidal lagoons through Proximal Policy Optimisation: A case study for the Swansea Lagoon.	Moreira et al. (2022).	Ocean Engineering
	Efficient bootstrap stacking ensemble learning model applied to wind power generation forecasting.	Ribeiro et al. (2022).	International Journal of Electrical Power and Energy Systems
	A Comparison Between Deep Learning and Support Vector Regression Techniques Applied to Solar Forecast in Spain.	Lima et al. (2022).	Journal of Solar Energy Engineering, Transactions of the ASME
	Electrical load demand forecasting using feed-forward neural networks.	Machado et al. (2021).	Energies
	Solar irradiance prediction with machine learning algorithms: A Brazilian case study on photovoltaic electricity generation.	de Freitas Viscondi and Alves-Souza (2021).	Energies
	A low-cost iot system for real-time monitoring of climatic variables and photovoltaic generation for smart grid application.	de Melo et al. (2021).	Sensors
	Ultrasound-based identification of damage in wind turbine blades using novelty detection.	Oliveira et al. (2020).	Ultrasonics
	Extended isolation forests for fault detection in small hydroelectric plants.	de Santis and Costa (2020).	Sustainability (Switzerland)
	Multiple site intraday solar irradiance forecasting by machine learning algorithms: MGGP and MLP neural networks.	Mendonça de Paiva et al. (2020).	Energies
Colombia	Energy production predication via Internet of Thing based machine learning system.	Rebouças Filho et al. (2019).	Future Generation Computer Systems
	Design Principles and Top Non-Fullerene Acceptor Candidates for Organic Photovoltaics.	Lopez et al. (2017).	Joule
	Machine learning applications for photovoltaic system optimization in zero green energy buildings.	Liu et al. (2020).	Energy Reports
	Predictive Modeling of Photovoltaic Solar Power Generation.	Gil-Vera and Quintero-López (2023).	WSEAS Transactions on Power Systems
Mexico	Machine Learning for Solar Resource Assessment Using Satellite Images.	Ordoñez Palacios et al. (2022).	Energies
	Cloud and machine learning experiments applied to the energy management in a microgrid cluster.	Rosero et al. (2021).	Applied Energy
	A comparison of the performance of supervised learning algorithms for solar power prediction.	Gutiérrez et al. (2021).	Energies
	Power Disturbance Monitoring through Techniques for Novelty Detection on Wind Power and Photovoltaic Generation.	Gonzalez-Abreu et al. (2023).	Sensors
Ecuador	A smart simulation-optimization framework for solar-powered desalination systems.	Aldaghi et al. (2022).	Groundwater for Sustainable Development
	A Machine-Learning Pipeline for Large-Scale Power-Quality Forecasting in the Mexican Distribution Grid.	Flores et al. (2022).	Applied Sciences (Switzerland)
Peru	Smart monitoring method for photovoltaic systems and failure control based on power smoothing techniques.	Arévalo et al. (2023).	Renewable Energy
	Machine learning applications for photovoltaic system optimization in zero green energy buildings.	Liu et al. (2023).	Energy Reports

that the articles are in English; 8 were excluded, and 410 articles were obtained. Finally, with these, the bibliometric review is carried out.

The results obtained were exported from Scopus in CSV format; the Excel program, the Bibliometrix package of the R software, and the VOSviewer software were used for the information analysis. From this, various indicators were generated that allow analyzing

the number of articles published, the authors with the largest number of publications, the dynamics of the sources, institutions, and countries with more publications in the area; the general information of the published articles is presented in Table 2.

Table 2 shows the main information of the articles of the final consultation in a time interval from 2014 to 2023. The bibliometric

review was carried out with 410 articles that meet the established criteria.

3. RESULTS AND DISCUSSION

The study began with an analysis of bibliometric productivity, followed by an examination of various bibliometric indicators, and concluded with an investigation of relationships and co-occurrences.

Table 6: Most cited articles

Articles	DOI	Total of Citations
Persson et al. (2017)	10.1016/j.solener. 2017.04.066	224
Golestaneh et al. (2016)	10.1109/TPWRS.2015.2502423	205
Bódis et al. (2019)	10.1016/j.rser. 2019.109309	169
Assouline et al. (2017)	10.1016/j.solener. 2016.11.045	143
Zhang et al. (2016)	10.1016/j.enconman. 2016.01.023	136
Sharifzadeh et al. (2019)	10.1016/j.rser. 2019.03.040	135
Ahmad et al. (2018)	10.1016/j.energy. 2018.08.207	133
Lopez et al. (2017)	10.1016/j.joule. 2017.10.006	132
Huang et al. (2019)	10.1109/ACCESS.2019.2921238	128
Ak et al. (2016)	10.1109/TNNLS.2015.2418739	118
Li et al. (2016)	10.1016/j.renene. 2015.12.069	101
Assouline et al. (2018)	10.1016/j.apenergy. 2018.02.118	90
Liu et al. (2020)	10.1016/j.jclepro. 2019.119272	87
Elmaz et al. (2020).	10.1016/j.energy. 2019.116541	87
Shi et al. (2020)	10.1016/j.apenergy. 2020.115733	86
Aslam et al. (2019)	10.3390/en13010147	78
Aznarte and Siebert (2017)	10.1109/TPWRD.2016.2543818	78
Xia et al. (2021)	10.1109/TII.2021.3056867	72
Wang et al. (2019)	10.1109/JIOT.2018.2877510	69
Shrivastava et al. (2016)	10.1016/j.renene. 2015.08.038	69

3.1. Laws of Bibliometric Productivity

It is observed that a small number of authors contribute significantly to scientific production, while a larger group of authors contributes fewer articles. This pattern reflects a quantitative relationship between authors and their contributions in a specific field over time (Alves, 2019; Barrera Suárez et al., 2021).


Figure 2 and Table 3 provide evidence of compliance with Lotka’s Law. Many authors (1383), accounting for 91% of the total, have contributed only one article each. In contrast, the remaining 9%, equivalent to 132 authors, have made at least two contributions. Notably, seven is the maximum number of articles published by a single author. This data suggests that most publications in this field result from researchers conducting relatively transient research on the topic under study.

These observations underscore the importance of understanding the dynamics of scientific productivity, as they have significant implications for how researchers and scholars approach research in each field.

On the other hand, when applying Bradford’s Law, as demonstrated in Table 4, it is observed that 34.15% of the published articles are concentrated in the first 7 journals, which, in turn, belong to zone 1 of Bradford’s Law. This zone describes the behavior of journal distribution based on productivity, where zone 1 houses a relatively small number of journals but the most productive ones (Gregorio-Chaviano et al., 2020).

Among these journals, the top 4 deserve special mention, as illustrated in Figure 3, accounting for 71% of the total publications

Figure 6: Most relevant sources



among journals within Zone 1 of Bradford: Energies, Applied Energy, Renewable Energy, and Energy.


This underscores the significance of these journals as significant research sources in the field, as they concentrate a substantial proportion of publications and can, therefore, provide valuable insights and essential information for researchers and professionals in the field.

3.2. Bibliometric Indicators

Figure 4 highlights the years 2020 (45), 2021(91), 2022(129), and 2023(91), in which there was a notable growth in publications related to the research topic, and 87% of all research carried out is concentrated. On the other hand, at a general level, between 2014 and 2023, the graph shows a growing trend in scientific production related to the subject.

A geographical analysis was carried out to know the countries in which they have published the most regarding the research topic. Figure 5 shows the map of the countries that make contributions to the field of study. We can highlight China (78), India (60), the United States (47), South Korea (35), and Saudi Arabia (31). These countries contribute 61% of all publications in the field of study.

Figure 7: Most relevant authors



The study has a Latin American focus, so Table 5 shows the countries published on the subject.

According to Table 5, Brazil (n = 16) is the Latin American country that has published the most articles related to ML in generating renewable energies, followed by Colombia (n = 5). Concerning Brazil, one of their articles addresses the prediction of wind energy production through ML based on the Internet of Things (Rebouças Filho et al., 2019). In turn, these propose the design of a low-cost system based on the Internet of Things for monitoring climate variables that affect the generation of photovoltaic energy (Melo et al., 2021).

On the other hand, two of the published articles address solar radiation prediction through ML algorithms for photovoltaic energy generation (Mendonça de Paiva et al., 2020; de Freitas Viscondi and Alves-Souza, 2021). Similarly, Colombia has research on predicting photovoltaic energy from ML algorithms fed with historical data and satellite images (Ordoñez Palacios et al., 2022; Gil-Vera and Quintero-López, 2023). Another article addresses the use of ML techniques to model the production of photovoltaic energy for a system in Medellín (Gutiérrez et al., 2021).

On the other hand, an analysis of the most relevant sources in the research topic was carried out; Figure 6 shows that the 4 journals that publish the most on the subject are Energies (43), Applied Energy (23), Renewable Energy (19) y Energy (15).

The journal “Energies” has several of its publications that refer to research on wind energy production prediction using ML (Singh et al., 2021; Bochenek et al., 2021; Alkesaiberi et al., 2022). Production per author is low compared to the number of articles published from 2014 to 2023. As can be seen in Figure 7, the author with the most published articles is Deo R.C., with seven publications.

Several of Deo R.C.’s articles are focused on predicting solar radiation through climate models, observational predictors, and hybrid algorithms between Deep learning and machine learning (Yeom et al., 2020; Ghimire et al., 2022a; Ghimire et al., 2022b).

Figure 8: Co-authoring relationship




Figure 9: Co-occurrence of keywords using VOSviewer software based on information from Scopus




Figure 10: Keywords using R software based on information from Scopus




Table 6 shows the 20 publications that have the most citations; the three most representative are Persson et al. (2017), Golestaneh et al. (2016), and Bódis et al. (2019).

The analysis of relationships and co-occurrences is done using the VOSviewer software, taking as a parameter that the author has at least two documents and two citations.

The co-authorship analysis shows that of 1515 authors, 132 meet the parameters, and of these, only 57 have works with other authors, which shows that more collaborative work is needed between authors interested in the subject of study. This scenario can be seen in Figure 8, in which eight clusters can be identified.

Finally, a co-occurrence analysis of keywords was performed. The parameter was that the minimum number of occurrences of a keyword is 5 of 2873 words; only 255 meet the parameter. This trend can be evidenced in Figures 9 and 10, where 6 clusters are identified; the words can be highlighted: machine learning, solar power generation, forecasting, learning systems, renewable energies and alternative energy.

4. CONCLUSIONS

The comprehensive bibliometric analysis of 410 articles, extracted from Scopus, focusing on ML in renewable energy generation, provided valuable insights and underscored the relevance of this research area.

Firstly, the analysis from 2014 to 2023 revealed an escalating trend in scientific production related to this topic, signifying a growing interest. Notably, the years from 2020 to 2023 witnessed a substantial surge, with 87% of total articles concentrated within this period.

Secondly, the geographical distribution of publications highlighted the global significance of this research. China, India, the United States, South Korea, and Saudi Arabia emerged as major contributors, collectively accounting for 61% of all publications. In contrast, Latin American nations, including Brazil, Colombia, Ecuador, and Peru, contributed, representing 6% of the total publications within this domain.

Furthermore, our analysis pinpointed influential journals as primary platforms for disseminating research. Journals such as *Energies*, *Applied Energy*, *Renewable Energy*, and *Energy* stood out, concentrating 24% of the publications. The remaining articles were distributed across various journals.

Lastly, our study illuminated the role of researchers in this field. Deo R.C. emerged as the leading author, with seven publications, shedding light on the substantial contributions of a few key researchers. Notably, our analysis indicated that 91% of researchers engaged in this area tended to be transient, emphasizing the dynamic nature of this field.

This bibliometric study underscored the increasing importance of ML in renewable energy research. It revealed global interest, with specific countries and journals playing pivotal roles. Moreover, it highlighted the prominent role of a select group of researchers. This analysis provided critical insights for academics and professionals and underscored the relevance and dynamism of this research area in addressing pressing energy and sustainability challenges.

REFERENCES

- Ahmad, M.W., Mourshed, M., Rezgui, Y. (2018), Tree-based ensemble methods for predicting PV power generation and their comparison with support vector regression. *Energy* (Oxford, England), 164, 465-474.
- Ak, R., Fink, O., Zio, E. (2016), Two machine learning approaches for short-term wind speed time-series prediction. *IEEE Transactions on Neural Networks and Learning Systems*, 27(8), 1734-1747.
- Alabi, T.M., Aghimien, E.I., Agbajor, F.D., Yang, Z., Lu, L., Adeoye, A.R., Gopaluni, B. (2022), A review on the integrated optimization techniques and machine learning approaches for modeling, prediction, and decision making on integrated energy systems. *Renewable Energy*, 194(1), 822-849.
- Aldaghi, A., Gheibi, M., Akrami, M., Hajiaghaei-Keshteli, M. (2022), A smart simulation-optimization framework for solar-powered desalination systems. *Groundwater for Sustainable Development*, 19, 100861.
- Alkessaiberi, A., Harrou, F., Sun, Y. (2022), Efficient wind power prediction using machine learning methods: A comparative study. *Energies*, 15(7), 2327.
- Alves, F. (2019), Exemplifying the Bradford's Law: An analysis of recent research (2014-2019) on capital structure. *Revista Ciências Sociais Em Perspectiva*, 18(35), 92-101.
- Arévalo, P., Benavides, D., Tostado-Véliz, M., Aguado, J.A., Jurado, F. (2023), Smart monitoring method for photovoltaic systems and failure control based on power smoothing techniques. *Renewable Energy*, 205, 366-383.
- Aslam, M., Lee, J.M., Kim, H.S., Lee, S.J., Hong, S. (2019), Deep learning models for long-term solar radiation forecasting considering microgrid installation: A comparative study. *Energies*, 13(1), 147.
- Assouline, D., Mohajeri, N., Scartezzini, J.L. (2017), Quantifying rooftop photovoltaic solar energy potential: A machine learning approach. *Solar Energy* (Phoenix, Ariz.), 141, 278-296.
- Assouline, D., Mohajeri, N., Scartezzini, J.L. (2018), Large-scale rooftop solar photovoltaic technical potential estimation using Random Forests. *Applied Energy*, 217, 189-211.
- Aznarte, J.L., Siebert, N. (2016), Dynamic line rating using numerical weather predictions and machine learning: A case study. *IEEE Transactions on Power Delivery*, 32(1), 335-343.
- Barrera Suárez, K.V., Pinzón León, J.S., Acuña Gómez, J.S., Jiménez-Barbosa, W.G. (2021), Análisis bibliométrico de las revistas científicas afines a optometría en Colombia 2014-2019. *Revista Salud Bosque*, 11(1), 1-20.
- Boar, A., Bastida, R., Marimon, F. (2020), A systematic literature review. Relationships between the sharing economy, sustainability and sustainable development goals. *Sustainability*, 12(17), 6744.
- Bochenek, B., Jurasz, J., Jaczewski, A., Stachura, G., Sekuła, P., Strzyżewski, T., Wdowikowski, M., Figurski, M. (2021), Day-ahead wind power forecasting in Poland based on numerical weather prediction. *Energies*, 14(8), 2164.
- Bódis, K., Kougiyas, I., Jäger-Waldau, A., Taylor, N., Szabó, S. (2019), A high-resolution geospatial assessment of the rooftop solar photovoltaic potential in the European Union. *Renewable and Sustainable Energy Reviews*, 114(109309), 109309.
- Bortoluzzi, M., Furlan, M., dos Reis Neto, J.F. (2022), Assessing the impact of hydropower projects in Brazil through data envelopment analysis and machine learning. *Renewable Energy*, 200, 1316-1326.
- Carneiro, T.C., Rocha, P.A., Carvalho, P.C., Fernández-Ramírez, L.M. (2022), Ridge regression ensemble of machine learning models applied to solar and wind forecasting in Brazil and Spain. *Applied Energy*, 314, 118936.
- Castro, A.J., Zanello, L., Lizcano, J., Daza, A. (2022), USR as a

- tool for meeting the SDGs: A systematic review. *IEEE Revista Iberoamericana de Tecnologías del Aprendizaje*, 17, 48-55.
- Chambers, J.M., Wyborn, C., Ryan, M.E., Reid, R.S., Riechers, M., Serban, A., Pickering, T. (2021), Six modes of co-production for sustainability. *Nature Sustainability*, 4(11), 983-996.
- De Freitas Viscondi, G., Alves-Souza, S.N. (2021), Solar irradiance prediction with machine learning algorithms: A Brazilian case study on photovoltaic electricity generation. *Energies*, 14(18), 5657.
- De Melo, G.C.G., Torres, I.C., de Araújo, Í.B.Q., Brito, D.B., de Andrade Barboza, E. (2021), A low-cost iot system for real-time monitoring of climatic variables and photovoltaic generation for smart grid application. *Sensors (Basel)*, 21(9), 3293.
- De Santis, R.B., Costa, M.A. (2020), Extended isolation forests for fault detection in small hydroelectric plants. *Sustainability*, 12(16), 6421.
- Elmaz, F., Yücel, Ö., Mutlu, A.Y. (2020), Predictive modeling of biomass gasification with machine learning-based regression methods. *Energy*, 191, 116541.
- Flores, J.J., Garcia-Nava, J.L., Cedeno Gonzalez, J.R., Tellez, V.M., Calderon, F., Medrano, A. (2022), A machine-learning pipeline for large-scale power-quality forecasting in the mexican distribution grid. *Applied Sciences*, 12(17), 8423.
- Forootan, M.M., Larki, I., Zahedi, R., Ahmadi, A. (2022), Machine learning and deep learning in energy systems: A review. *Sustainability*, 14(8), 4832.
- García-Samper, M., Manotas, E.N., Ramírez, J., Hernández-Burgos, R. (2022), Cultura organizacional verde: Análisis desde las dimensiones de sostenibilidad corporativa. *Información Tecnológica*, 33(2), 99-106.
- Ghimire, S., Deo, R.C., Casillas-Pérez, D., Salcedo-Sanz, S. (2022b), Boosting solar radiation predictions with global climate models, observational predictors and hybrid deep-machine learning algorithms. *Applied Energy*, 316(119063), 119063.
- Ghimire, S., Deo, R.C., Wang, H., Al-Musaylh, M.S., Casillas-Pérez, D., Salcedo-Sanz, S. (2022a), Stacked LSTM sequence-to-sequence autoencoder with feature selection for daily solar radiation prediction: A review and new modeling results. *Energies*, 15(3), 1061.
- Ghobakhloo, M., Fathi, M. (2021), Industry 4.0 and opportunities for energy sustainability. *Journal of Cleaner Production*, 295, 126427.
- Gil-Vera, V., Quintero-López, C. (2023), Predictive modeling of photovoltaic solar power generation. *WSEAS Transactions on Power Systems*, 18, 71-81.
- Golestaneh, F., Pinson, P., Gooi, H.B. (2016), Very short-term nonparametric probabilistic forecasting of renewable energy generation- with application to solar energy. *IEEE transactions on power systems : A publication of the Power Engineering Society*, 31(5), 3850-3863.
- Goliatt, L., Yaseen, Z.M. (2023), Development of a hybrid computational intelligent model for daily global solar radiation prediction. *Expert Systems with Applications*, 212, 118295.
- Gonzalez-Abreu, A.D., Osornio-Rios, R.A., Elvira-Ortiz, D.A., Jaen-Cuellar, A.Y., Delgado-Prieto, M., Antonino-Daviu, J.A. (2023), Power disturbance monitoring through techniques for novelty detection on wind power and photovoltaic generation. *Sensors*, 23(6), 2908.
- Gregorio-Chaviano, O., Limaymanta, C.H., López-Mesa, E.K. (2020), Análisis bibliométrico de la producción científica latinoamericana sobre COVID-19. *Biomedica: Revista Del Instituto Nacional de Salud*, 40(Supl 2), 104-115.
- Gutiérrez, L., Patiño, J., Duque-Grisales, E. (2021), A comparison of the performance of supervised learning algorithms for solar power prediction. *Energies*, 14(15), 4424.
- Huang, C.J., Kuo, P.H. (2019), Multiple-input deep convolutional neural network model for short-term photovoltaic power forecasting. *IEEE Access: Practical Innovations, Open Solutions*, 7, 74822-74834.
- Laimon, M., Yusaf, T., Mai, T., Goh, S., Alrefae, W. (2022), A systems thinking approach to address sustainability challenges to the energy sector. *International Journal of Thermofluids*, 15, 100161.
- Li, D., Bae, J.H., Rishi, M. (2023), Sustainable development and SDG-7 in Sub-Saharan Africa: Balancing energy access, economic growth, and carbon emissions. *The European Journal of Development Research*, 35(1), 112-137.
- Li, J., Ward, J.K., Tong, J., Collins, L., Platt, G. (2016), Machine learning for solar irradiance forecasting of photovoltaic system. *Renewable Energy*, 90, 542-553.
- Lima, M.A.F., Fernández Ramírez, L.M., Carvalho, P.C., Batista, J.G., Freitas, D.M. (2022), A comparison between deep learning and support vector regression techniques applied to solar forecast in Spain. *Journal of Solar Energy Engineering*, 144(1), 010802.
- Liu, W., Shen, Y., Aungkulanon, P., Ghalandari, M., Le, B.N., Alviz-Meza, A., Cárdenas-Escrocia, Y. (2023), Machine learning applications for photovoltaic system optimization in zero green energy buildings. *Energy Reports*, 9, 2787-2796.
- Liu, Z.F., Li, L.L., Tseng, M.L., Lim, M.K. (2020), Prediction short-term photovoltaic power using improved chicken swarm optimizer-extreme learning machine model. *Journal of Cleaner Production*, 248, 119272.
- Lopez, S.A., Sanchez-Lengeling, B., de Goes Soares, J., Aspuru-Guzik, A. (2017), Design principles and top non-fullerene acceptor candidates for organic photovoltaics. *Joule*, 1(4), 857-870.
- Machado, E., Pinto, T., Guedes, V., Morais, H. (2021), Electrical load demand forecasting using feed-forward neural networks. *Energies*, 14(22), 7644.
- Mahari, W.A.W., Azwar, E., Foong, S.Y., Ahmed, A., Peng, W., Tabatabaei, M., Lam, S.S. (2021), Valorization of municipal wastes using co-pyrolysis for green energy production, energy security, and environmental sustainability: A review. *Chemical Engineering Journal*, 421, 129749.
- Manotas, E.N., Redondo, R.P., Contreras, J.L., Cardenas, M.J., Palma, H.H. (2021), Renewable energies and their advantages for the sustainability of companies in the health sector. *International Journal of Energy Economics and Policy*, 11(5), 531-537.
- Martinez-Sierra, D., García-Samper, M., Hernández-Palma, H., Niebles-Nuñez, W. (2019), Gestión energética en el sector salud en Colombia: Un caso de desarrollo limpio y sostenible. *Información Tecnológica*, 30(5), 47-56.
- Martinho, A.D., Saporetti, C.M., Goliatt, L. (2023), Approaches for the short-term prediction of natural daily streamflows using hybrid machine learning enhanced with grey wolf optimization. *Hydrological Sciences Journal*, 68(1), 16-33.
- Melo, G., Torres, I.C., Araújo, Í., Brito, D., Barboza, E. (2021), A low-cost IoT system for real-time monitoring of climatic variables and photovoltaic generation for smart grid application. *Sensors*, 21(9), 3293.
- Mendonça de Paiva, G., Pires Pimentel, S., Pinheiro Alvarenga, B., Gonçalves Marra, E., Mussetta, M., Leva, S. (2020), Multiple site intraday solar irradiance forecasting by machine learning algorithms: MGGP and MLP neural networks. *Energies*, 13(11), 3005.
- Moreira, T.M., de Faria, J.G. Jr., Vaz-de-Melo, P.O., Chaimowicz, L., Medeiros-Ribeiro, G. (2022), Prediction-free, real-time flexible control of tidal lagoons through proximal policy optimisation: A case study for the Swansea Lagoon. *Ocean Engineering*, 247, 110657.
- Oliveira, M.A., Simas Filho, E.F., Albuquerque, M.C., Santos, Y.T., Da Silva, I.C., Farias, C.T. (2020), Ultrasound-based identification of damage in wind turbine blades using novelty detection. *Ultrasonics*, 108, 106166.
- Ordoñez Palacios, L.E., Bucheli Guerrero, V., Ordoñez, H. (2022),

- Machine learning for solar resource assessment using satellite images. *Energies*, 15(11), 3985.
- Palma, H.H., Pitre, R., Martínez, N.M.S. (2020), Nuevas tendencias para una logística sostenible con el medio ambiente. *Ingeniare*, (28), 63-72.
- Persson, C., Bacher, P., Shiga, T., Madsen, H. (2017), Multi-site solar power forecasting using gradient boosted regression trees. *Solar Energy (Phoenix, Ariz.)*, 150, 423-436.
- Ramírez-Duran, J.A., Niebles-Núñez, W., García-Tirado, J. (2023), Aplicaciones bibliométricas del estudio del capital intelectual dentro de las instituciones de educación superior desde un enfoque sostenible. *Saber, Ciencia y Libertad*, 18(1), 280-296.
- RebouçasFilho, P.P., Gomes, S.L., e Nascimento, N.M.M., Medeiros, C.M.S., Outay, F., de Albuquerque, V.H.C. (2019), Energy production predication via internet of thing based machine learning system. *Future Generations Computer Systems: FGCS*, 97, 180-193.
- Ribeiro, M.H.D.M., da Silva, R.G., Moreno, S.R., Mariani, V.C., dos Santos Coelho, L. (2022), Efficient bootstrap stacking ensemble learning model applied to wind power generation forecasting. *International Journal of Electrical Power and Energy Systems*, 136, 107712.
- Rosero, D.G., Díaz, N.L., Trujillo, C.L. (2021), Cloud and machine learning experiments applied to the energy management in a microgrid cluster. *Applied Energy*, 304, 117770.
- Samper, M.G., Florez, D.G., Borre, J.R., Ramirez, J. (2022), Industry 4.0 for sustainable supply chain management: Drivers and barriers. *Procedia Computer Science*, 203, 644-650.
- Schwanitz, V.J., Wierling, A. (2022), Toward sustainable global energy production and consumption. In: *Responsible Consumption and Production*. Cham: Springer International Publishing. p. 839-850.
- Sharifzadeh, M., Sikinioti-Lock, A., Shah, N. (2019), Machine-learning methods for integrated renewable power generation: A comparative study of artificial neural networks, support vector regression, and Gaussian Process Regression. *Renewable and Sustainable Energy Reviews*, 108, 513-538.
- Shi, Z., Yao, W., Li, Z., Zeng, L., Zhao, Y., Zhang, R., & Wen, J. (2020), Artificial intelligence techniques for stability analysis and control in smart grids: Methodologies, applications, challenges and future directions. *Applied Energy*, 278, 115733.
- Shrivastava, N.A., Lohia, K., Panigrahi, B.K. (2016), A multiobjective framework for wind speed prediction interval forecasts. *Renewable Energy*, 87, 903-910.
- Singh, U., Rizwan, M., Alaraj, M., Alsaidan, I. (2021), A machine learning-based gradient boosting regression approach for wind power production forecasting: A step towards smart grid environments. *Energies*, 14(16), 5196.
- Wang, Y., Shen, Y., Mao, S., Chen, X., Zou, H. (2018), LASSO and LSTM integrated temporal model for short-term solar intensity forecasting. *IEEE Internet of Things Journal*, 6(2), 2933-2944.
- Wentz, V.H., Maciel, J.N., Gimenez Ledesma, J.J., Ando Junior, O.H. (2022), Solar irradiance forecasting to short-term PV power: Accuracy comparison of ann and LSTM models. *Energies*, 15(7), 2457.
- Xia, M., Shao, H., Ma, X., de Silva, C.W. (2021), A stacked GRU-RNN-based approach for predicting renewable energy and electricity load for smart grid operation. *IEEE Transactions on Industrial Informatics*, 17(10), 7050-7059.
- Yeom, J.M., Deo, R.C., Adamowski, J.F., Park, S., Lee, C.S. (2020), Spatial mapping of short-term solar radiation prediction incorporating geostationary satellite images coupled with deep convolutional LSTM networks for South Korea. *Environmental Research Letters*, 15(9), 094025.
- Zhang, Y., Liu, K., Qin, L., An, X. (2016), Deterministic and probabilistic interval prediction for short-term wind power generation based on variational mode decomposition and machine learning methods. *Energy Conversion and Management*, 112, 208-219.